



Section 1. Identification

Product identifier

Product Identity	IGI Wax 1260A
Other means of identification	Paraffin wax

Relevant identified uses of the substance or mixture and uses advised against

Various end uses e.g. pharmaceutical excipient, personal care/cosmetics, food contact coatings, additive for wax blends, use in adhesives etc.

Details of the supplier of the safety data sheet

Company Name	Silver Fern Chemical, Inc. 2226 Queen Anne Avenue North Seattle, WA 98109 USA Customer Service: 1-866-282-3384 / info@silverfernchemical.com Website - www.silverfernchemical.com
---------------------	--

Emergency 24-hour Emergency Telephone No.	Emergency telephone number Infotrac: 1-800-535-5053; Outside USA & Canada +1- 352-323-3500
--	--

Customer Service:

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

The substance is not classified according to the OSHA Hazcom or WHMIS regulations.

Label elements

The substance is not classified according to the OSHA Hazcom or WHMIS regulations.



[Prevention]

No GHS prevention statements

[Response]

No GHS response statements

[Storage]

No GHS storage statements

[Disposal]

No GHS disposal statements

Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Paraffin Wax CAS Number: 8002-74-2 Synonyms: Paraffin	100%	Not Classified	No data available

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.



- Eyes** Rinse with plenty of clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed:

Eye and skin contact: When heated, contact with molten product can cause injury and burns.

- Overview** No specific symptom data available.
Treat symptomatically. See section 2 for further details.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder.
Do not use water on molten material: Explosion hazard could result.
Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).



Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

Handle as thermoplastic. With molten spills, allow material to solidify and cool. Large spills: Stop flow of material if this is without risk. Dike spilled material, where this is possible. Allow material to cool and solidify and scrape up. Following product recovery, flush area with water.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage. See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong Oxidizing Agents. See section 2 for further details. - [Storage]

Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

Control parameters

Exposure

CAS No.	Ingredient	Source	Value
8002-74-2	Paraffin Wax	OSHA	No Established Limit
		ACGIH	2 mg/m ³
		NIOSH	TWA 2 mg/m ³

Exposure controls



Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Protective safety glasses recommended
Skin	Avoid skin contact. Protective gloves recommended.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical State	Solid.
Form	Slabs, prills, pastilles or granules.
Color	White to light gray or tan.
Odor	None to slight petroleum odor.
Melting point / freezing point	99 - 212°F (37 - 100°C)
Initial boiling point and boiling range	>572°F (>300°C)
Flammability (solid, gas)	Will support a flame above flash point.
Upper/lower flammability or explosive limits	Lower Explosive Limit: 0.9%
	Upper Explosive Limit: 7%
Flash Point	>347°F (>175°C) ASTM D-92
Flammability (solid, gas)	Will support a flame above flash point.
Auto-ignition temperature	No available information.
Decomposition temperature	No available information.
pH	No available information.
Viscosity (cSt)	No available information.
Solubility (Water)	<0.1% (68°F/20°C)
Partition coefficient n-octanol/water (Log Kow)	<0.01
Vapor pressure (Pa)	<0.01 mm Hg (77°F/25°C)



SILVER FERN
CHEMICAL INC

Silver Fern Chemical, Inc.
Safety Data Sheet
IGI Wax 11260A

Revision Date: 07/16/2024

Relative Density	No available information.
Vapor Density	>5 (Air = 1)
Particle Characteristics	---
Evaporation rate (Ether = 1)	<0.01 (Butyl acetate = 1).
Oxidising properties	No available information.
Explosive properties	No available information.
Relative Density	0.9 - 0.93 (77°F/25°C)

Other information
Percent volatile

Negligible.

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No available information

Conditions to avoid

Avoid high temperatures and contact with incompatible material

Incompatible materials

No available information

Hazardous decomposition products

No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Paraffin Wax - (8002-74-2)	> 5,000.00, Rat - Category: NA	>2,000.00, Rat - Category: 5	No data available.	No data available.	No data available.



Silver Fern Chemical, Inc.
Safety Data Sheet
IGI Wax 11260A

Revision Date: 07/16/2024

Carcinogen Data

CAS No.	Ingredient	Source	Value
8002-74-2	Paraffin Wax	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

Possible routes of entry:

Symptoms and effects, both acute and delayed:

No specific symptom data available.

Treat symptomatically.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Paraffin Wax - (8002-74-2)	101.00, Pimephales promelas	> 10,000, Daphnia magna	> 1,000, Pseudokirchneriella subcapitata



Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
UN number	Not Regulated	Not Regulated	Not Regulated
UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable Sub Class: Not Applicable
Packing group	Not Applicable	Not Applicable	Not Applicable

Environmental hazards

Marine Pollutant: No

Special precautions for user

No available information



Section 15. Regulatory information

Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0008002-74-2	Paraffin Wax	Yes	UVCB	ACTIVE

The following flags are used:

- Active - indicates commercial status designation of active
- E - indicates a substance that is the subject of a Section 5(e) Consent Order under TSCA.
- F - indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N - indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P - indicates a commenced Premanufacture Notice (PMN) substance.
- R - indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S - indicates a substance that is identified in a final Significant New Uses Rule.
- SP - indicates a substance that is identified in a proposed Significant New Uses Rule.
- T - indicates a substance that is the subject of a final Section 4 test rule under TSCA.
- UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials
- XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
- Y1 - indicates a polymer that has a number-average molecular weight greater than 1,000 and that was exempt under the 1984 polymer exemption rule.
- Y2 - indicates a polymer that is a polyester and that was exempt under the 1984 polymer exemption rule.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Mass RTK Substances (>1%):

Paraffin Wax

New Jersey RTK Substances (>1%):

Paraffin Wax

Pennsylvania RTK Substances (>1%):

Paraffin Wax

OSHA Process Safety Management Standard Highly Hazardous Chemicals, Toxics and Reactives:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US EPA List of Regulated Substances under the Risk Management Plan (RMP) Program:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) under the Minimum Risk Exemption:



To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

U.S. - DEA List II or Essential Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

U.S. - DEA - Exempt Chemical Mixtures - List 1 and 2:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US DHS Chemical Facility Anti-Terrorism Standards (CFATS):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Section 16. Other information

Revision Date

07/16/2024

DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

The full text of the phrases appearing in section 3 is:

Not Applicable

End of Document