#### Section 1. Identification

Revision Date: 07/15/2024

Product identifier

Isobutyl Acetate **Product Identity** Other means of identification Isobutyl Acetate

Relevant identified uses of the substance or mixture and uses advised against

See Technical Data Sheet.

Details of the supplier of the safety data sheet

**Company Name** Silver Fern Chemical, Inc.

2226 Queen Anne Avenue North

Seattle, WA 98109 USA

Customer Service: 1-866-282-3384 /

info@silverfernchemical.com

Website - www.silverfernchemical.com

**Emergency** 

24 hour Emergency

Emergency telephone number

Telephone No. Infotrac: 1-800-535-5053; Outside USA & Canada +1-

352-323-3500

**Customer Service:** 

## Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication **Standard (1910.1200) revised 2024 (GHS revision 7)** 

Flammable Liquid, category 2;H225 Highly Flammable liquid and vapor.

# Label elements





Revision Date: 07/15/2024

# Danger

H225 Highly flammable liquid and vapor.

# [Prevention]

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P235 Keep cool.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves, eye protection, and face protection.

## [Response]

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

#### [Storage]

P403+235 Store in a well ventilated place. Keep cool.

#### [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

## Other hazards

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

# Section 3. Composition/information on ingredients



This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
iso-Butyl acetate CAS Number: 110-19-0 Synonyms: iso-Butyl acetate., Isobutyl axetat	100%	Flammable Liquid, category 2;H225	No data available

Revision Date: 07/15/2024

#### Section 4. First aid measures

# **Description of first aid measures**

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

**Eyes** Rinse with plenty of clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water

or use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT

induce vomiting.

#### Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

Treat symptomatically. See section 2 for further details.

## Section 5. Fire-fighting measures

## **Extinguishing media**

The actual concentration or concentration range is withheld as a trade secret.

<sup>\*</sup>PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.



Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

# Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking. Keep container tightly closed.

Keep cool.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

# Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. 129

# Section 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

# **Environmental precautions**

Do not allow spills to enter drains or waterways.

# Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.



# Section 7. Handling and storage

Revision Date: 07/15/2024

# Precautions for safe handling

Handle containers carefully to prevent damage and spillage. See section 2 for further details. - [Prevention]

# Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information See section 2 for further details. - [Storage]

#### Specific end use(s)

No available information

## Section 8. Exposure controls / personal protection

# **Control parameters**

# **Exposure**

CAS No.	Ingredient	Source	Value
110-19-0	iso-Butyl acetate	OSHA	TWA 150 ppm (700 mg/m <sup>3</sup> )
		ACGIH	50 ppm 150 ppm
		NIOSH	TWA 150 ppm (700 mg/m <sup>3</sup> )

Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they

must use the appropriate, certified respirators.

**Eyes** Protective safety glasses recommended

**Skin** Avoid skin contact. Protective gloves recommended.

**Engineering** Provide adequate ventilation. Where reasonably practicable this should

be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of

particulates and any vapor below occupational exposure limits suitable

respiratory protection must be worn.

Other Work

Use good personal hygiene practices. Wash hands before eating,
drinking, smoking or using toilet. Promptly remove soiled clothing and

wash thoroughly before reuse.



See section 2 for further details.

# Section 9. Physical and chemical properties

Revision Date: 07/15/2024

## Information on basic physical and chemical properties

**Physical State** Liquid

Color Clear, Colorless

Odor Distinct Fruity Acetate Odor **Melting point / freezing point** No available information

Initial boiling point and boiling 234-246°F (112.222-118.889°C)

range

Flammability (solid, gas) No available information Upper/lower flammability or **Lower Explosive Limit:** 1.3%

explosive limits

**Upper Explosive Limit:** 10.5%

66°F (18.9 °C); TCC Flash Point

430 °C (806 °F) at 1,019 hPa **Auto-ignition temperature Decomposition temperature** No available information рΗ 6.7 at ca.5 g/l at 20 °C (68 °F)

Viscosity (cSt) No available information Solubility in Water 5.6 g/l at 20 °C (68 °F) - OECD Test Guideline

105 - soluble

Partition coefficient n-octanol/water log Pow: 2.3 at 25 °C (77 °F) - Bioaccumulation

(Log Kow) is not expected. Vapor pressure (Pa) 12.5 mmHg @ 20°C

**Relative Density** 0.872 **Vapor Density** 4.0(Air=1); Calculated

**Evaporation rate (Ether = 1)** 1.4 (Butyl Acetate=1)

**VOC Content** 100%

No available information Oxidising properties **Explosive properties** No available information

Other information

No other relevant information.

## Section 10. Stability and reactivity



# Reactivity

Hazardous Polymerization will not occur.

# **Chemical stability**

Stable under normal circumstances.

# Possibility of hazardous reactions

Vapors may form explosive mixture with air.

# **Conditions to avoid**

Avoid high temperatures and contact with incompatible material

# Incompatible materials

Strong oxidizing agents, Strong bases

# Hazardous decomposition products

CO, CO2, and noxious smoke under extreme fire conditions

# **Section 11. Toxicological information**

# **Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
iso-Butyl acetate - (110-	13,400.00, Rat -	17,400.00, Rabbit -	No data	No data	No data
19-0)	Category: NA	Category: NA	available.	available.	available.

# Carcinogen Data

CAS No.	Ingredient	Source	Value
110-19-0	iso-Butyl acetate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable



Respiratory sensitization	 Not Applicable
Skin sensitization	 Not Applicable
Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

**Revision Date: 07/15/2024** 

Possible routes of entry:

# Symptoms and effects, both acute and delayed::

No specific symptom data available.

Treat symptomatically.

# **Section 12. Ecological information**

# **Toxicity**

No additional information provided for this product. See Section 3 for chemical specific data.

# **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/L	mg/L	mg/L
iso-Butyl acetate - (110-19-0)	16.60, Oryzias latipes	24.60, Daphnia magna	600.00, Chlorococcales

# Persistence and degradability

There is no data available on the preparation itself.

# Bioaccumulative potential

No available information

## Mobility in soil

No available information

# Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

# Other adverse effects

No available information

# Section 13. Disposal considerations



#### Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

# **Section 14. Transport information**

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA

Transportation) Transportation)

**UN number** UN1213 UN1213 UN1213

**UN proper** UN1213, Isobutyl Isobutyl acetate Isobutyl acetate

shipping name acetate,3,II

Transport DOT Hazard Class:3 IMDG:3 Air Class:3 hazard class(es) Sub Class:Not Applicable Sub Class:Not Sub Class:Not

Applicable Applicable

Packing group | | | | |

#### **Environmental hazards**

Marine Pollutant: No;

Special precautions for user

No available information

# Section 15. Regulatory information

**Regulatory** The regulatory data in Section 15 is not intended to be all-inclusive,

**Overview** only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

#### **Toxic Substance Control Act (TSCA)**

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0000110-19-0	iso-Butyl acetate	Yes		ACTIVE

The following flags are used:

- •Active indicates commercial status designation of active
- •E indicates a substance that is the subject of a Section 5(e) Consent Order under



#### TSCA.

- •F indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- •N indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- •P indicates a commenced Premanufacture Notice (PMN) substance.
- •R indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- •S indicates a substance that is identified in a final Significant New Uses Rule.
- •SP indicates a substance that is identified in a proposed Significant New Uses Rule.
- •T indicates a substance that is the subject of a final Section 4 test rule under TSCA.
- •UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials •XU indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
- •Y1 indicates a polymer that has a number-average molecular weight greater than 1,000 and that was exempt under the 1984 polymer exemption rule.
- •Y2 indicates a polymer that is a polyester and that was exempt under the 1984 polymer exemption rule.

# **Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute

## **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

## Mass RTK Substances (>1%):



Revision Date: 07/15/2024

iso-Butyl acetate

# **New Jersey RTK Substances (>1%):**

iso-Butyl acetate

# Pennsylvania RTK Substances (>1%):

iso-Butyl acetate

# OSHA Process Safety Management Standard Highly Hazardous Chemicals, Toxics and Reactives:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# US EPA List of Regulated Substances under the Risk Management Plan (RMP) Program:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# US EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) under the Minimum Risk Exemption:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **U.S. - DEA List II or Essential Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# U.S. - DEA - Exempt Chemical Mixtures - List 1 and 2:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **US DHS Chemical Facility Anti-Terrorism Standards (CFATS):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Section 16. Other information

**Revision Date** 

07/15/2024



# **DISCLAIMER OF RESPONSIBILITY**

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

**End of Document** 

**Revision Date: 07/15/2024**