

Section 1. Identification

Product identifier Propylene Glycol USP

Product Identity Propylene Glycol USP

Other means of identification 1,2-Propylene glycol, Propanediol, Propylene Glycol

Relevant identified uses of the substance or mixture and uses advised against We recommend that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated use, please contact your sales or technical service representative.

Uses in Coatings, consumer. Use in Cleaning Agents, consumer. Functional Fluids, consumer. Consumer use in agrochemicals. Other Consumer Uses Humectant and solvent for: Foodstuffs. Flavors. Fragrances. Cosmetics. Pharmaceuticals. Personal care applications. Manufacture of substance, industrial. Distribution of substance, industrial. Formulation & (re)packing of substances and mixtures, industrial. Use in laboratories, industrial. Use as binders and release agents, professional.

Not for use in cat food.

Details of the supplier of the safety data sheet

Company Name Silver Fern Chemical, Inc.

2226 Queen Anne Avenue North

Seattle, WA 98109 USA

Customer Service: 1-866-282-3384

info@silverfernchemical.com

Website - www.silverfernchemical.com

Revision Date: 08/16/2024

Emergency

24 hour Emergency Telephone No. Emergency telephone number

Infotrac: 1-800-535-5053;

Outside USA & Canada +1-352-323-3500

Customer Service:

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)



The substance is not classified according to the OSHA Hazcom or WHMIS regulations.

Revision Date: 08/16/2024

Label elements

The substance is not classified according to the OSHA Hazcom or WHMIS regulations.

[Prevention]

No GHS prevention statements [Response]
No GHS response statements [Storage]
No GHS storage statements [Disposal]
No GHS disposal statements

Other hazards

This product contains no PBT/vPvB chemicals. This product contains no endocrine disrupting chemicals.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight	GHS	Notes
	%	Classification	
1,2-Propanediol	>99.8%	Not Classified	
CAS Number: 57-55-6			No data
Synonyms: 1,2-Propylene glycol,			available
Propanediol, Propylene Glycol			

The actual concentration or concentration range is withheld as a trade secret.

The full texts of the phrases are shown in Section 16.

^{*}PBT/vPvB - PBT-substance or vPvB-substance.



Section 4. First aid measures

Revision Date: 08/16/2024

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes Rinse with plenty of clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water

or use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT

induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Section 5. Fire-fighting measures

Extinguishing media



Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

Revision Date: 08/16/2024

Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. ---

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage



Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Product handled hot may require additional ventilation or local

exhaust. Spills of these organic materials on hot fibrous insulations may lead to lowering of the

autoignition temperatures possibly resulting in spontaneous combustion. See Section 8, EXPOSURE

Revision Date: 08/16/2024

CONTROLS AND PERSONAL PROTECTION.

Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids.

Store away from direct sunlight or ultraviolet light. Keep container

tightly closed when not in use. Store in a dry place. Protect from atmospheric moisture. Store in the

following material(s): Stainless steel. Aluminum. Container lined with phenolic or epoxyphenolic FDA food contact approved coating. 316 stainless steel. Opaque HDPE plastic container.

Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

Control parameters

Exposure

CAS No.	Ingredient	Source	Value
57-55-6	1,2-Propanediol	OSHA	No Established Limit
		ACGIH	TWA(Aerosol): 10 mg/m ³
		NIOSH	No Established Limit

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they

must use the appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Avoid skin contact. Protective gloves recommended.



Revision Date: 08/16/2024

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by using local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable

respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and

wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical StateLiquidColorColorlessOdorOdorless

Melting point / freezing point < -20 °C (< -4 °F) EC Method A1

Initial boiling point and boiling 184 °C (363 °F) at 752.46 mmHg EC Method

range A2

Flammability (solid, gas) No available information

Upper/lower flammability or Lower Explosive Limit: 2.6 % vol Estimated.

explosive limits

Flash Point

Upper Explosive Limit:12.5 % vol Estimated

closed cup 104 °C (219 °F) at 1,000.1 hPa EC

Method A9 (PMCC)

Auto-ignition temperature > 400 °C (> 752 °F) at 100.01 kPa EC Method

A15

Decomposition temperatureNo test data available

pΗ

Not applicable

Dynamic Viscosity

43.4 mPa.s at 25 °C (77 °F) Literature
Solubility in Water

43.4 mPa.s at 25 °C (68 °F) EC Method A6

Partition coefficient n-octanol/water Log Pow: -1.07 Measured

(Log Kow)

Vapor pressure (Pa) 20 Pa at 25 °C (77 °F) EC Method A4

Relative Density (water = 1) 1.03 at 20 $^{\circ}$ C (68 $^{\circ}$ F) / 20 $^{\circ}$ C EC Method A3

Relative Vapor Density 2.62 Literature

Evaporation rate (Ether = 1) 0.01 Estimated.



Silver Fern Chemical, Inc. Revision Date: 08/16/2024 Safety Data Sheet Propylene Glycol USP

No

Oxidising properties Explosive properties

Explosive propertiesNot explosive
Liquid Density
1.03 g/cm3 at 20 °C (68 °F) Literature

Pour Point < -57 °C (< -71 °F) Literature

Other information

No other relevant information.

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No available information

Conditions to avoid

Excessive heat and open flame.

Incompatible materials

Strong oxidizing agents and acids.

Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide. Decomposition products can include and are not limited to: Aldehydes. Alcohols. Ethers. Organic acids.

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatique, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis.



Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Revision Date: 08/16/2024

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
1,2-Propanediol	22,000.00, Rat	•	No data	No data	No data
- (57-55-6)	- Category: NA		available.	available.	available.

Carcinogen Data

CAS	Ingredient	Source	Value
No.			
57-55-6	1,2-	OSHA	Regulated Carcinogen: No;
	Propanediol	NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3:
			No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable



Possible routes of entry:

Symptoms and effects, both acute and delayed::

Treat symptomatically.

Section 12. Ecological information

Revision Date: 08/16/2024

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient 96 hr LC50 fish, mg/L		48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L	
1,2-Propanediol -	40,613.00, Salmo	18,340.00,	24,200.00, Raphidocelis	
(57-55-6)	gairdneri	Ceriodaphnia dubia	subcapitata	

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.



Section 14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA

Transportation) Transportation)

UN numberNot RegulatedNot RegulatedNot RegulatedUN properNot RegulatedNot RegulatedNot Regulated

shipping name

Transport DOT Hazard Class: Not IMDG: Not Applicable Air Class: Not hazard class(es) Applicable Sub Class: Not Applicable

Sub Class: Not Applicable Applicable Sub Class: Not

Applicable

Revision Date: 08/16/2024

Packing groupNot ApplicableNot ApplicableNot Applicable

Environmental hazards

Marine Pollutant: No;

Special precautions for user

No available information

Section 15. Regulatory information

Regulatory The regulatory data in Section 15 is not intended to be all-inclusive,

Overview only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

CAS	Ingredient	Toxic Substance Control Act	Comments	Status
Number	_	(TSCA)		
0000057-55-	1,2-	Yes		ACTIVE
6	Propanediol			

The following flags are used:

- •Active indicates commercial status designation of active
- •E indicates a substance that is the subject of a Section 5(e) Consent Order under



TSCA.

- •F indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- •N indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

Revision Date: 08/16/2024

- •P indicates a commenced Premanufacture Notice (PMN) substance.
- •R indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- •S indicates a substance that is identified in a final Significant New Uses Rule.
- •SP indicates a substance that is identified in a proposed Significant New Uses Rule.
- •T indicates a substance that is the subject of a final Section 4 test rule under TSCA.
- •UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials •XU indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
- •Y1 indicates a polymer that has a number-average molecular weight greater than 1,000 and that was exempt under the 1984 polymer exemption rule.
- •Y2 indicates a polymer that is a polyester and that was exempt under the 1984 polymer exemption rule.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Mass RTK Substances (>1%):



New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Revision Date: 08/16/2024

Pennsylvania RTK Substances (>1%):

1,2-Propanediol

OSHA Process Safety Management Standard Highly Hazardous Chemicals, Toxics and Reactives:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US EPA List of Regulated Substances under the Risk Management Plan (RMP) Program:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) under the Minimum Risk Exemption:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

U.S. - DEA List II or Essential Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

U.S. - DEA - Exempt Chemical Mixtures - List 1 and 2:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US DHS Chemical Facility Anti-Terrorism Standards (CFATS):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Section 16. Other information

Revision Date

08/16/2024



DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

The full text of the phrases appearing in section 3 is:

Not Applicable

End of Document

13 / 13 Approved BR 8-19-24

Revision Date: 08/16/2024