



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

Section 1. Identification

Product identifier

Product Identity Gov Formula A-Anh (Ethanol Denatured 200)
Other means of identification Denatured Alcohol; Denatured Ethanol; Govt. Formula SIA-1 (SPECIAL INSOLV A-1) 200 PROOF

Relevant identified uses of the substance or mixture and uses advised against

General purpose solvent.

Details of the supplier of the safety data sheet

Company Name Silver Fern Chemical, Inc.
121 W. De La Guerra Street, Suite B
Santa Barbara, CA 93101 USA
Customer Service: 1-866-282-3384 /
info@silverfernchemical.com
Website - www.silverfernchemical.com

Emergency
24 hour Emergency Emergency telephone number
Telephone No. Infotrac: 1-800-535-5053; Outside USA & Canada +1-352-323-3500

Customer Service:

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Flammable Liquid, category 2;H225

Highly Flammable liquid and vapor.

Serious eye damage / eye irritation, category 2;H319

Causes serious eye irritation.



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

Carcinogen, category 2;H351

Specific target organ toxicity, Single exposure category 2;H371

Suspected of causing cancer.

May cause damage to organs.

Label elements



Danger

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H371 May cause damage to organs.

[Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P235 Keep cool.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe dust, fume, mist, vapors or spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, eye protection, and face protection.

[Response]

P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

[Storage]

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|---|-----------|--|-------------------|
| Ethanol CAS Number: 64-17-5 Synonyms: Ethyl Alcohol | 65 - 85 | Flammable Liquid, category 2;H225 Serious eye damage / eye irritation, category 2;H319 | No data available |
| Isopropyl Alcohol CAS Number: 67-63-0 Synonyms: Propan-2-ol, ISOPROPANOL, ISOPROPYL ALCOHOL (manufacture-strong acid process, Solvent C-3 | 7 - 13 | Flammable Liquid, category 2;H225 Serious eye damage / eye irritation, category 2;H319 Specific target organ toxicity, Single exposure category 3;H336 | No data available |
| Methanol CAS Number: 67-56-1 Synonyms: methanol (as methanol), METHYL ALCOHOL | 3 - 7 | Flammable Liquid, category 2;H225 Acute toxicity(inhalation), category 3;H331 Acute toxicity(oral), category 3;H301 Acute toxicity(dermal), category 3;H311 Specific target organ toxicity, Single exposure category 1;H370 C ≥ 10 % Specific target organ toxicity, Single exposure category 2;H371 3 % ≤ C < 10 % | No data available |
| Methyl Isobutyl Ketone CAS Number: 108-10-1 Synonyms: Pentanone, 4-methyl-, 4-methylpentan-2-one, 4-Methyl-2-pentanone | 0.5 - 1.5 | Flammable Liquid, category 2;H225 Acute toxicity(inhalation), category 4;H332 Serious eye damage / eye irritation, category 2;H319 Carcinogen, category 2;H351 Specific target organ toxicity, Single exposure category 3;H336 | No data available |

The actual concentration or concentration range is withheld as a trade secret.

*PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

Section 4. First aid measures

Description of first aid measures

- General** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
- Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
- Eyes** Rinse with plenty of clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
- Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
- Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Overview Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.

Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

Inhalation May cause damage to organs.

Eyes Causes serious eye irritation.



Section 5. Fire-fighting measures

Extinguishing media

CO₂, Dry Chemical, Foam, Sand.

Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Keep cool.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Do not breathe dust, fume, mist, vapors or spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No.

127

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

Environmental precautions

Do not allow spills to enter drains or waterways.
Collect in flammable waste container for disposal.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.
Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.
See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Incompatible materials: Incompatible with strong oxidizing agents
See section 2 for further details. - [Storage]

Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

| CAS No. | Ingredient | Source | Value |
|---------|------------|--------|--|
| 64-17-5 | Ethanol | OSHA | 1000 ppm, 1900 mg/m ³ |
| | | ACGIH | 1000 ppm |
| | | NIOSH | TWA 1000 ppm (1900 mg/m ³) |



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

| CAS No. | Ingredient | Source | Value |
|----------|------------------------|--------|--|
| 67-56-1 | Methanol | OSHA | 200 ppm, 260 mg/m ³ |
| | | ACGIH | 200 ppm 250 ppm |
| | | NIOSH | TWA 200 ppm (260 mg/m ³) STEL: 250 ppm (325 mg/m ³) [skin] |
| 67-63-0 | Isopropyl Alcohol | OSHA | 400 ppm, 980 mg/m ³ |
| | | ACGIH | 200 ppm 400 ppm |
| | | NIOSH | TWA 400 ppm (980 mg/m ³) STEL: 500 ppm (1225 mg/m ³) |
| 108-10-1 | Methyl Isobutyl Ketone | OSHA | 100 ppm, 410 mg/m ³ |
| | | ACGIH | 20 ppm 75 ppm |
| | | NIOSH | TWA 50 ppm (205 mg/m ³) STEL: 75 ppm (300 mg/m ³) |

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Avoid skin contact. Use neoprene or rubber gloves or PVC.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

| | |
|--|------------------|
| Physical State | Liquid |
| Color | Colorless |
| Odor | No distinct odor |
| Melting point / freezing point | -114°C (-173°F) |
| Initial boiling point and boiling range | 80°C (176°F) |



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

| | |
|--|--|
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: 19%(V) Upper Explosive Limit: 3.3%(V) |
| Flash Point | 14°C (58°F) - closed cup |
| Auto-ignition temperature | 363°C (685.4°F) - (Ethyl Alcohol) |
| Decomposition temperature | No available information |
| pH | No available information |
| Viscosity (cSt) | No available information |
| Solubility in Water | Completely Soluble |
| Partition coefficient n-octanol/water (Log Kow) | No available information |
| Vapor pressure (Pa) | 44.6mmHg (5.94 kPa) |
| Relative Density | No available information |
| Vapor Density | 1.6 (Air = 1) |
| Evaporation rate (Ether = 1) | Specific data not available - expected to be rapid. |
| Oxidising properties | No available information |
| Explosive properties | No available information |
| Molecular Weight | (ETHANOL) 46.07 g/mol (ISOPROPYL ALCOHOL) 60.1 g/mol (METHYL ALCOHOL) 32.04 g/mol (METHYL ISOBUTYL KETONE) 100.16 g/mol |
| Molecular Formula | (ETHANOL) C ₂ H ₆ O (ISOPROPYL ALCOHOL) C ₃ H ₈ O (METHYL ALCOHOL) CH ₄ O (METHYL ISOBUTYL KETONE) C ₆ H ₁₂ O |
| Other information | No other relevant information. |

| |
|---|
| Section 10. Stability and reactivity |
|---|

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No available information



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

Conditions to avoid

High temperatures and fires.

Incompatible materials

Incompatible with strong oxidizing agents

Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|-------------------------------|----------------------------------|-------------------------------------|---------------------------------------|--|--------------------------------|
| Ethanol - (64-17-5) | 10,470.00, Rat - Category: NA | 17,100.00, Rabbit - Category: NA | 124.70, Rat - Category: NA | No data available. | No data available. |
| Isopropyl Alcohol - (67-63-0) | 5,840.00, Rat - Category: NA | 16,400.00, Rabbit - Category: NA | 72.60, Rat - Category: NA | No data available. | No data available. |
| Methanol - (67-56-1) | | | | | |



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|-------------------------------------|-----------------------------|----------------------------------|---------------------------------------|--|--------------------------------|
| | 101.10, Rat - Category: 3 | 301.00, Rabbit - Category: 3 | 2.10, Rat - Category: 3 | No data available. | No data available. |
| Methyl Isobutyl Ketone - (108-10-1) | 2,080.00, Rat - Category: 5 | 16,000.00, Rabbit - Category: NA | 11.00, Rat - Category: 4 | No data available. | No data available. |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|----------|------------------------|--------|--|
| 64-17-5 | Ethanol | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | A3 |
| 67-56-1 | Methanol | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 67-63-0 | Isopropyl Alcohol | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; |
| | | ACGIH | A4 |
| 108-10-1 | Methyl Isobutyl Ketone | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; |
| | | ACGIH | A3 |

| Classification | Category | Hazard Description |
|-------------------------------|----------|--------------------------------|
| Acute toxicity (oral) | --- | Not Applicable |
| Acute toxicity (dermal) | --- | Not Applicable |
| Acute toxicity (inhalation) | --- | Not Applicable |
| Skin corrosion/irritation | --- | Not Applicable |
| Serious eye damage/irritation | 2 | Causes serious eye irritation. |
| Respiratory sensitization | --- | Not Applicable |
| Skin sensitization | --- | Not Applicable |
| Germ cell mutagenicity | --- | Not Applicable |
| Carcinogenicity | 2 | Suspected of causing cancer. |
| Reproductive toxicity | --- | Not Applicable |
| STOT-single exposure | 2 | May cause damage to organs. |
| STOT-repeated exposure | --- | Not Applicable |
| Aspiration hazard | --- | Not Applicable |



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

Possible routes of entry:No available information

Symptoms and effects, both acute and delayed:

Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.

Treat symptomatically.

Eyes Causes serious eye irritation.

Ingestion May be harmful if swallowed.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/L | 48 hr EC50 crustacea, mg/L | ErC50 algae, mg/L |
|-------------------------------------|--------------------------------|----------------------------|--|
| Ethanol - (64-17-5) | 15,400.00, Lepomis macrochirus | > 10,000, Daphnia magna | 17.92, Ulva pertusa |
| Isopropyl Alcohol - (67-63-0) | 10,000.00, Pimephales promelas | No data available. | No data available. |
| Methanol - (67-56-1) | 15,400.00, Lepomis macrochirus | > 10,000.00, Daphnia magna | 22,000.00, Pseudokirchneriella subcapitata |
| Methyl Isobutyl Ketone - (108-10-1) | 505.00, Pimephales promelas | 201.00, Daphnia magna | 980.00, Scenedesmus subspicatus |

Persistence and degradability

There is no data available on the preparation itself.



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Destroy by liquid incineration. Use absorbent material and deposit in toxic landfill in accordance with local, state, and federal regulations.

Section 14. Transport information

| | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|----------------------------|---------------------------------------|-------------------------------------|-------------------------------------|
| UN number | UN1987 | UN1987 | UN1987 |
| UN proper shipping name | Ethanol | Alcohols, n.o.s. / UN1987 | Alcohols, n.o.s. / UN1987 |
| Transport hazard class(es) | Class:3 Sub Class:Not Applicable | Class:3 Sub Class:Not Applicable | Class:3 Sub Class:Not Applicable |
| Packing group | II | II | II |

Environmental hazards

IMDG Marine Pollutant: No;

Special precautions for user

No available information



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

Section 15. Regulatory information

Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

| CAS Number | Ingredient | Toxic Substance Control Act (TSCA) | Comments | Status |
|--------------|------------------------|------------------------------------|----------|--------|
| 0000064-17-5 | Ethanol | Yes | | ACTIVE |
| 0000067-63-0 | Isopropyl Alcohol | Yes | | ACTIVE |
| 0000067-56-1 | Methanol | Yes | | ACTIVE |
| 0000108-10-1 | Methyl Isobutyl Ketone | Yes | | ACTIVE |

The following flags are used:

- Active - indicates commercial status designation of active
- E - indicates a substance that is the subject of a Section 5(e) Consent Order under TSCA.
- F - indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N - indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P - indicates a commenced Premanufacture Notice (PMN) substance.
- R - indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S - indicates a substance that is identified in a final Significant New Uses Rule.
- SP - indicates a substance that is identified in a proposed Significant New Uses Rule.
- T - indicates a substance that is the subject of a final Section 4 test rule under TSCA.
- UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials
- XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
- Y1 - indicates a polymer that has a number-average molecular weight greater than 1,000 and that was exempt under the 1984 polymer exemption rule.
- Y2 - indicates a polymer that is a polyester and that was exempt under the 1984 polymer exemption rule.



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Ethanol

Isopropyl Alcohol

Methanol

Proposition 65 - Carcinogens (>0.0%):

Methyl Isobutyl Ketone

Proposition 65 - Developmental Toxins (>0.0%):

Methanol

Methyl Isobutyl Ketone

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Methyl Isobutyl Ketone], which is known to the State of California to cause cancer, and [Methanol, Methyl Isobutyl Ketone], which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Note: Ethanol (Ethyl alcohol) has been placed on the California Proposition 65 Cancer and



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

Developmental Lists when in alcoholic beverages.

Mass RTK Substances (>1%) :

Ethanol

Isopropyl Alcohol

Methanol

Methyl Isobutyl Ketone

New Jersey RTK Substances (>1%):

Ethanol

Isopropyl Alcohol

Methanol

Methyl Isobutyl Ketone

Pennsylvania RTK Substances (>1%):

Ethanol

Isopropyl Alcohol

Methanol

Methyl Isobutyl Ketone

OSHA Process Safety Management Standard Highly Hazardous Chemicals, Toxics and Reactives:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

US EPA List of Regulated Substances under the Risk Management Plan (RMP) Program:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) under the Minimum Risk Exemption:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

U.S. - DEA List II or Essential Chemicals:

Methyl Isobutyl Ketone

U.S. - DEA - Exempt Chemical Mixtures - List 1 and 2:

Methyl Isobutyl Ketone

US DHS Chemical Facility Anti-Terrorism Standards (CFATS):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 311/312 Chemicals and RQs (lbs):

Methanol (5,000.00)

| |
|--------------------------------------|
| Section 16. Other information |
|--------------------------------------|

Revision Date

05/30/2025

DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our



Silver Fern Chemical, Inc.
Safety Data Sheet
Gov Formula A-Anh (Ethanol Denatured 200)

Revision Date: 05/30/2025

knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H336 May cause drowsiness and dizziness.

H351 Suspected of causing cancer.

H370 Causes damage to organs.

H371 May cause damage to organs.

End of Document