

SILVER FERN CHEMICAL, INC. SAFETY DATA SHEET ETHYLENE GLYCOL

Revision Date 11/22/2019

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Trade name : ETHYLENE GLYCOL

CAS Number: : 107-21-1

Chemical characterization : Ethylene Glycols Chemical name : Ethylene Glycol

Synonyms : All Grades includes: Antifreeze, High Purity, Industrial,

Polyester Grade

Identified uses : Monomer; Intermediate; Functional Fluids

Prohibited uses : Aerosol applications such as theater fogs, linen sprays,

pepper sprays, air sanitizers; Chafing fuels for warming foods; Deicer applications for use on roadways and pedestrian walkways; Manufacture/Formulation of deicer or anti-icing

products for use on aircraft or runways

Details of the supplier of the safety data sheet Distributor Silver Fern Chemical, Inc. 121 W De La Guerra Street. Suite B

Santa Barbara, CA 93101, USA

Customer Service: 1-866-282-3384

info@silverfernchemical.com

24 Hour Emergency Phone Number Infotrac 1-800-535-5053 (USA & Canada) Outside USA & Canada 1-352-323-3500

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity; Oral Category 4
Skin irritation Category 2
Specific target organ toxicity - single exposure; Oral Category 1

Central nervous system, Kidney, Blood

Specific target organ toxicity - repeated exposure; Oral Category 2

Kidney

Label elements

Hazard symbols





Signal word : Danger

Hazard Statements: H302 Harmful if swallowed.

H315 Causes skin irritation.

H370 Causes damage to organs (Central nervous system,

Kidney, Blood) if swallowed.

H373 May cause damage to organs (Kidney) through

prolonged or repeated exposure if swallowed.

Precautionary Statements

: Prevention

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response

P301 + P312 IF SWALLOWED: Call a POISON

CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P362 Take off contaminated clothing and wash before reuse.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/doctor.

P314 Get medical advice/ attention if you feel unwell.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

No additional information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

Components



| Chemical name | CAS-No. EC-No. | <u>Weight %</u> | Component Type |
|-------------------|-------------------|-----------------|-------------------|
| Ethylene glycol | 107-21-1 | 95.0 - 100.0 % | А |
| Diethylene Glycol | 111-46-6 | <=5.0 % | С |

Key:

(A) Substance

(C) Impurity

4. FIRST AID MEASURES

General advice : Take proper precautions to ensure your own health and safety

before attempting rescue and providing first aid. Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled : If overcome by exposure, remove victim to fresh air

immediately.

If breathing is difficult, give oxygen.

In case of skin contact : Wash thoroughly with soap and water.

In case of eye contact : Thoroughly flush the eyes with large amounts of clean low-

pressure water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation persists, seek medical

attention.

If swallowed : Rinse mouth with water.

Consult a physician if necessary.

Notes to physician

Symptoms : May cause irritation to the skin. This irritation can result in

redness and swelling of the skin. Repeated contact with the

skin may cause it to become dry and cracked.

Kidney Damage

central nervous system effects

Hazards : Harmful if swallowed.

Causes skin irritation.

3 / 14



SAFETY DATA SHEET ETHYLENE GLYCOL

Revision Date 11/22/2019

Causes damage to organs.

May cause damage to organs through prolonged or repeated

exposure.

Treatment : There is no specific antidote.

Treatment of overexposure should be directed at the control of

symptoms and the clinical condition of the patient.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : SMALL FIRE: Use dry chemicals, CO2, water spray or alcohol-

resistant foam. LARGE FIRE: Use water spray, water fog or

alcohol-resistant foam.

Unsuitable extinguishing

media

: Even if material is water soluble, may not be practical to

extinguish fire by water dilution.

Specific hazards during fire

fighting

: Ethylene glycol mist in air is a moderate fire and explosion

hazard.

Individuals should perform only those fire-fighting procedures for which they have been trained. Fire fighters should wear self-contained breathing apparatus in the positive pressure mode with a full face piece when there is a possibility of exposure to smoke, fumes or hazardous decomposition products. Cool

tanks and containers exposed to fire with water.

Cool containers with flooding quantities of water until well after

fire is out.

Special protective equipment

for fire-fighters

: Wear an approved positive pressure self-contained breathing

apparatus and firefighter turnout gear.

Structural firefighter's protective clothing will only provide

limited protection.

6. ACCIDENTAL RELEASE MEASURES

Methods for containment / Methods for cleaning up

Eliminate all sources of ignition.

All equipment used when handling this product must be

grounded.

Do not touch or walk through spilled material.

Stop leak if you can do it without risk.

Prevent entry into waterways, sewers, basements or confined

areas.

A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand or other non-combustible

material and transfer to containers.

Use clean non-sparking tools to collect absorbed material. For large spills, dike and pump into properly labeled containers for reclamation or disposal. For small spills, soak up with absorbent material and place in properly labeled containers for disposal.

Report spills or leaks to the proper regulatory authorities.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

: Avoid open heating or agitation that may generate vapors or mists.

Do not handle near heat, sparks, or flame. Avoid contact with incompatible agents. Use only with adequate

ventilation/personal protection. Avoid contact with eyes, skin and clothing. Do not enter storage area unless adequately ventilated. Metal containers involved in the transfer of this

material should be grounded and bonded.

Containers, even those that have been emptied, will retain product residue and vapor and should be handled as if they were full. Do not eat, drink or smoke in areas where this

material is used.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store containers in a cool, dry, ventilated, fire resistant area away from sources of ignition and incompatible materials.

Ground all equipment containing this material. Keep container tightly closed and properly labeled.

Specific end use(s)

: See Section 1.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Ingredients with workplace control parameters

Consult local authorities for acceptable exposure limits.

Exposure controls

Engineering measures

General room ventilation plus local exhaust at points of emission to maintain levels of airborne contaminants below exposure limits.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Where unknown concentrations are encountered or during an emergency, use NIOSH approved supplied air respirators.

Hand protection : Wear chemical resistant gloves such as rubber, neoprene or

vinyl.

Eye and face protection : Safety glasses are recommended for normal use.

Use splash goggles when eye contact due to splashing or

spraying liquid is possible.

Skin and body protection : Appropriate protective clothing should be worn to prevent skin

contact.

The equipment must be cleaned thoroughly after each use.

Hygiene measures : Selection of appropriate personal protective equipment should

be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the hazards and/or potential hazards that may be encountered

during use.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Use good personal hygiene practices.

Wash hands before eating, drinking, smoking, or using toilet

facilities.

Take off contaminated clothing and wash before reuse. Shower after work using plenty of soap and water.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid at 20 °C (1,013.25 hPa)

Color : Clear, colorless.

Odor : Slight sweet odor.

Odor Threshold : no data available

Flash point : 111 °C

at 1,013.25 hPa (760.00 mm Hg)

6 / 14

Lower explosion limit : 3.2 vol%

Upper explosion limit : 15.3 vol%

Flammability (solid, gas) : Not applicable

Autoignition temperature : 398 °C

at 1,013.25 hPa

Decomposition temperature : not determined

Melting point/range : -13 °C

Boiling point/boiling range : 197.4 °C

at 1,013 hPa

Vapor pressure : 0.1 hPa

at 25 °C

Density : 1.11 g/cm3

at 20 °C (Water = 1)

Water solubility : Miscible in water.

Partition coefficient: n-

octanol/water

: log Pow: -1.36

Viscosity, kinematic : 145 mm2/s

at 25 °C

Relative vapor density : 2.14

(Air = 1.0)

Other Information : No additional information available.

10. STABILITY AND REACTIVITY

Hazardous reactions : Hazardous polymerization will not occur.

The product is stable.

Conditions to avoid : Heat, sparks, open flames and strong oxidizing conditions.

Materials to avoid : Strong oxidizer.

Strong acids.
Permanganates.
Peroxides.
Dichromates.

Reactive sodium compounds.

Sulfur compounds.

Alkali metals. Nitrates.

Hazardous decomposition

products

Thermal decomposition

: Carbon Monoxide and Carbon dioxide.

: Carbon oxides (CO, CO2)

11. TOXICOLOGICAL INFORMATION

Product Summary : The below given information is based on the assessment of

the product including impurities.

Acute toxicity

Acute oral toxicity : Classified

Harmful if swallowed.

Ingestion may include inebriation, nausea and vomiting, metabolic acidosis, and CNS depression. Tachycardia, hypertension, hyperventilation, hypoxia and renal failure are

also possible.

: LD50 (Oral): 7,712 mg/kg

Species: Rat

: Mean lethal dose (estimated): 1,400 - 1,600 mg/kg

Species: Humans

Acute inhalation toxicity : Based on acute toxicity values, not classified.

: LC50: > 2.5 mg/l

Exposure time: 6 HOURS

Species: Rat

Acute dermal toxicity : Based on acute toxicity values, not classified.

: LD50: > 3,500 mg/kg Species: Mouse

Skin corrosion/irritation : Classified

Causes skin irritation.

Serious eye damage/eye

irritation

: Based on eye irritation values, not classified.

Respiratory or skin sensitization

: Skin sensitization Not classified

No adverse effect observed.

: Respiratory sensitization

Not classified no data available

Chronic toxicity

Carcinogenicity : Not classified

Contains a substance that has a positive carcinogenicity study. Inconsistent reports of bladder tumors in rats that received chronic high oral exposure to diethylene glycol can not be attributed to diethylene glycol and are not evidence of a primary carcinogenic effect but rather due to the development

of bladder stones and their mechanical damage.

Germ cell mutagenicity : Not classified

No adverse effect observed.

Reproductive toxicity

Effects on fertility /

Effects on or via lactation

: Not classified

May cause toxicity to reproduction at high oral doses.

Effects on Development : Not classified

May be toxic to embryo/fetal development and teratogenic at

high exposure levels.

(Based on Diethylene Glycol)

Target Organ Systemic Toxicant - Single exposure

Classified, Causes damage to organs., Ingestion may include inebriation, nausea and vomiting, metabolic acidosis, and CNS depression. Tachycardia, hypertension, hyperventilation,

hypoxia and renal failure are also possible.

: Exposure routes: Ingestion

Target Organs: Central nervous system, Kidney

Target Organ Systemic Toxicant - Repeated

exposure

: Classified, May cause damage to organs through prolonged or repeated exposure., Kidney and bladder effects due to the formation of oxalate crystals may occur following prolonged

exposure to high oral doses.

: Exposure routes: Ingestion

Target Organs: Kidney

Aspiration hazard : Based on physico-chemical values or lack of human evidence,

not classified.

12. Ecological information

Ecotoxicology Assessment

Short-term (acute) aquatic

hazard

Long-term (chronic)

aquatic hazard

: Based on acute aquatic toxicity values, not classified.

: Not classified, based on readily biodegradability and low acute

toxicity.

Toxicity to fish : Low acute toxicity to fish

Toxicity to daphnia and other aquatic invertebrates

: Low acute toxicity to aquatic invertebrates.

Toxicity to algae : Low toxicity to algae.

Toxicity to bacteria : Low toxicity to sewage microbes.

Toxicity to fish (Chronic

toxicity)

Toxicity to daphnia and other aquatic invertebrates

(Chronic toxicity)

: Low chronic toxicity to fish.

: Low chronic toxicity to aquatic invertebrates.

Persistence and degradability

Biodegradability : Rapidly degradable.

: Biodegradation: 90 - 100 %

Testing period: 10 d

Stability in water : no data available

Stability in soil : Low potential for soil adsorption expected

Bioaccumulative potential

Bioaccumulation : This material is not expected to bioaccumulate.

: Species: Leuciscus idus (Golden orfe) Bioconcentration factor (BCF): 10

Mobility in soil

Distribution among environmental compartments

: no data available

Other adverse effects

pathways

Environmental fate and : No additional information available.

Other information

Additional ecological

information

: No additional information available.

13. Disposal considerations

Waste treatment methods

Product : Dispose of all waste and contaminated equipment in

accordance with all applicable federal, state and local health and environmental regulations. Recovery and reuse, rather than disposal, should be the ultimate goal of handling efforts. The materials resulting from clean-up operations may be hazardous wastes and therefore, subject to specific

regulations.

Comply with federal, state, or local regulations for disposal.

14. TRANSPORT INFORMATION

RQ: 5000 lbs; not DOT regulated in less than 5000 lbs bulk. **CFR ROAD**

UN number : 3082

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Description of the goods

N.O.S.

: (ETHYLENE GLYCOL)

Class 9 Packing group Ш Labels 9

Marine pollutant : no



CFR RAIL

UN number : 3082

Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

: (ETHYLENE GLYCOL)

Class : 9 Packing group : 111 Labels : 9

: no Marine pollutant

BLG (MARPOL Annex II)

Description of the goods : ETHYLENE GLYCOL Pollution category : Y

Ship type : 3

Other information : Not regulated for IMDG or IATA

15. REGULATORY INFORMATION

TSCA 12b

No substances are subject to TSCA 12(b) export notification requirements.

Significant New Use Rules (SNUR)

No substances are subject to a Significant New Use Rule.

SARA 302/304

This product contains no known chemicals regulated under SARA 302/304.

SARA 311/312

Based upon available information, this material is classified as the following health and/or physical hazards according to Section 311 & 312:

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Specific target organ toxicity (single or repeated

exposure)

SARA 313: Ethylene Glycol is regulated under SARA 313.

CERCLA RQ: 5000 lbs

State Reporting

California Prop. 65 Components



WARNING: This product can expose you to chemical(s) including Ethylene Glycol, which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

| Substance | CASRN | Type of Toxicity | | | |
|-----------------|----------|------------------|---------------|------------|------------------|
| | | Carcinogen | Developmental | Repro-Male | Repro- Female |
| Ethylene glycol | 107-21-1 | | X | | |

This product contains no known chemicals regulated by New Jersey's Worker and Community Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

This product contains no known chemicals regulated by Pennsylvania's Right to Know Act.

Other international regulations

Global Inventory Status

The ingredients of this product are compliant with the following chemical inventory requirements or exemptions.

| Country/Region | Inventory | Status Description |
|--------------------------|-----------|--------------------|
| Australia | AICS | Compliant |
| Canada | DSL | Compliant |
| China | IECSC | Compliant |
| | | |
| Japan | ENCS | Compliant |
| Korea | KECI | Compliant |
| New Zealand | NZIoC | Compliant |
| Philippines | PICCS | Compliant |
| United States of America | TSCA | Compliant |
| Taiwan | TCSCA | Compliant |

16. OTHER INFORMATION

Safety datasheet sections which have been updated: Revised

Section(s): 14 15 16


HMIS Classification : Health Hazard: 4

Chronic Health Hazard: *

Flammability: 1 Physical hazards: 0

NFPA Classification : Health Hazard: 1

Fire Hazard: 1 Instability: 0



Further information

HMIS rating scale (0 = minimal hazard; 4 = severe hazard) NFPA rating scale (0 = minimal hazard; 4 = severe hazard)

DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

<end of document>