

Safety Data Sheet Silver Fern Chemical APG 0810-70

1. Identification

Product identifier APG 0810-70

Other means of identification

SDS Number 329544-01
Recommended use Surfactants
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name

Silver Fern Chemical, Inc.

Address 2226 Queen Anne Avenue North

Seattle WA 98109, USA

United States

Main Telephone Number 1-866-282-3384

Website www.Silverfernchemical.com

E-mail Info@silverfernchemical.com

Emergency #: 24 Hour Emergency Contact

Infotrac 1-800-535-5053 (USA & Canada)
Outside USA & Canada 1-352-323-3500

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Environmental Serious eye damage/eye irritation Category 1

hazards Hazardous to the aquatic environment, acute Category 3

hazard

OSHA defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement Causes serious eye damage. Harmful to aquatic life.

Precautionary statement

Prevention Avoid release to the environment. Wear eye protection/face protection.

Response Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Store away from incompatible materials. Store in a well-ventilated place. Keep container tightly

closed. Store locked up. Store in accordance with local,regional,national, and international

regulations.

Disposal Dispose of contents and container in accordance with local, regional, national, and international

regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information 90 - 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic

environment. 90 - 100% of the mixture consists of component(s) of unknown long-term hazards to

the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
D-Glucopyranose, oligomers, d octyl glycosides	ecyl	68515-73-1	50 - 75
Sodium Hydroxide		1310-73-2	0.5 - 1
Material name: APG 0810-70			ene lie

329544-01 Version #: 02 Revision date: 03-15-2024 Issue date: 03-05-2024

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Indication of immediate

medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information**

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for

clean-up

Absorb/clean with appropriate and compatible material. Stop flow of material if without risk, Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000) Components **Type** Value Sodium Hydroxide (CAS PEL 2 mg/m3 1310-73-2)

US. ACGIH Threshold Limit Values (TLV)					
Components	Туре	Value			
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3			

Material name: APG 0810-70 329544-01 Version #: 02 Revision date: 03-15-2024 Issue date: 03-05-2024 NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

 Components
 Type
 Value

 Sodium Hydroxide (CAS
 IDLH
 10 mg/m3

1310-73-2)

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)
Components Type Value

Sodium Hydroxide (CAS Ceiling 2 mg/m3

1310-73-2)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

General It is recommended that users of this product perform a risk assessment to determine the

appropriate PPE.

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical stateLiquid.FormLiquid.ColorYellow

Odor Almost odourless
Odor threshold Not available.

pH ≥ 11.5 - ≤ 12.5 (10% in 15/85 IPA/Water)

Melting point/freezing point 32 °F (0 °C)

Initial boiling point and boiling

range

>212 °F (>100 °C) (1,013.2 hPa)

Flash point 410.0 °F (210.0 °C)
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure <0.1 hPa (@ 20°C)

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Soluble
Partition coefficient <1.77

(n-octanol/water)

Auto-ignition temperature >572 °F (>300 °C)

Decomposition temperature Not available.

Viscosity > 500 - < 1500 mPa·s

Viscosity temperature 104 °F (40 °C)

Material name: APG 0810-70
329544-01 Version #: 02 Revision date: 03-15-2024 Issue date: 03-05-2024

Other information

Density ≥ 1.13 - ≤ 1.14 (@ 20°C)

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Strong oxidizing agents.

Incompatible materials

Hazardous decomposition products

Decomposes at temperatures >350 C.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Not known.

Test Results Components Species

Sodium Hydroxide (CAS 1310-73-2)

Acute Dermal

LD50 Rabbit 1350 mg/kg

> Rat 1350 mg/kg

Oral

LD50 Rat 140 - 340 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Not a respiratory sensitizer. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Material name: APG 0810-70

4/6

SDS US

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Product		Species	Test Results
Glucodet G21			
Aquatic			
Acute			
Crustacea	EC50	Daphnia	2917.0181 mg/l, 48 hours estimated
Fish	LC50	Fish	10541.4063 mg/l, 96 hours estimated
Components		Species	Test Results
Sodium Hydroxide (C	AS 1310-73-2)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	>= 34.59 - <= 47.13 mg/l, 48 hours
			34.59 - 47.13 mg/l, 48 hours
	LC50	Common shrimp, sand shrimp (Crangon crangon)	>= 33 - <= 100 mg/l, 48 hours
Fish	LC50	Bony fish superclass (Osteichthyes)	>= 33 - <= 100 mg/l, 48 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Glucodet G21 < 1.77

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours

13. Disposal considerations

Disposal instructions Dispose of this material and its container to hazardous or special waste collection point. Incinerate

the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical

or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)All components of the mixture on the TSCA 8(b) inventory are designated "active".

Material name: APG 0810-70 SDS US

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium Hydroxide (CAS 1310-73-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Sodium Hydroxide (CAS 1310-73-2)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region On inventory (yes/no)* Inventory name United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 03-05-2024 **Revision date** 03-15-2024

Version # 02

Health: 3 **HMIS®** ratings

Flammability: 0

Physical hazard: 0

Health: 3 NFPA ratings

Flammability: 0 Instability: 0

The information on this SDS was obtained from sources which we believe are reliable. However. Disclaimer

the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

Approved BR 1-2-25