

Revision Date: 05/30/2025

Section 1. Identification

Product identifier

Product IdentityHouse DCPD ResinOther means of identificationDCPD Laminating Resin

Relevant identified uses of the substance or mixture and uses advised against

Laminating Resin

Details of the supplier of the safety data sheet

Company Name Silver Fern Chemical, Inc.

121 W. De La Guerra Street, Suite B Santa Barbara, CA 93101 USA Customer Service: 1-866-282-3384/

info@silverfernchemical.com

Website - www.silverfernchemical.com

Emergency

24 hour Emergency Emergency telephone number

Telephone No. Infotrac: 1-800-535-5053; Outside USA & Canada +1-352-

323-3500

Customer Service:

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Flammable Liquid, category 3;H226 Acute toxicity(inhalation), category 4;H332

Skin corrosion/irritation category 2;H315

Serious eye damage / eye irritation, category

2A;H319

Flammable liquid and vapor.

Harmful if inhaled. Causes skin irritation.

Causes serious eye irritation.



Revision Date: 05/30/2025

Reproductive toxicity, category 2;H361D Specific target organ toxicity, Single exposure category 3;H335

Specific target organ toxicity, repeated exposure Causes damage to organs through category 1;H372 prolonged or repeated exposure. S

Aquatic toxicity (chronic), category 3;H412

Suspected of damaging the unborn child. May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure. Specific Target Organs: (hearing organs) Harmful to aquatic life with long lasting effects.

Label elements







Danger

H226 Flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

[Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P235 Keep cool.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe dust, fume, mist, vapors or spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.



P280 Wear protective gloves, eye protection, and face protection.

[Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Revision Date: 05/30/2025

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P314 Get Medical advice or attention if you feel unwell.

P332+313 If skin irritation occurs: Get medical attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]

P403+233 Store in a well ventilated place. Keep container tightly closed.

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.



Revision Date: 05/30/2025

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
1,3-isobenzofurandione, polymer with 2,5-furandione and 1,2-propanediol CAS Number: 25037-66-5	<= 61	Not classified	No data available
Synonyms: Isobenzofurandione, polymer with 2,5- furandione an			
Styrene, inhibited CAS Number: 100-42-5 Synonyms: Benzene, ethenyl-	27 - 30	Flammable Liquid, category 3;H226 Acute toxicity(inhalation), category 4;H332 Skin corrosion/irritation category 2;H315 Serious eye damage / eye irritation, category 2;H319 Reproductive toxicity, category 2;H361D Specific target organ toxicity, repeated exposure category 1;H372 Specific target organ toxicity, Single exposure category 3;H335 Aspiration hazard, category 1;H304 Aquatic toxicity (chronic), category 3;H412	No data available
.alphaMethyl styrene CAS Number: 98-83-9 Synonyms: @-Methyl Styrene (AMS), A-METHYL STYRENE, METHYL STYRENE	1 - 2	Flammable Liquid, category 3;H226 Serious eye damage / eye irritation, category 2;H319 Specific target organ toxicity, Single exposure category 3;H335 > 25% Aquatic toxicity (chronic), category 2;H411	No data available

The actual concentration or concentration range is withheld as a trade secret.

^{*}PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.



Revision Date: 05/30/2025

Section 4. First aid measures

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

Eyes Rinse with plenty of clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or

use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Reproductive or genetic defect hazard. Treat symptomatically. See section 2 for

further details.

Inhalation Harmful if inhaled. May cause respiratory irritation.

Eyes Causes serious eye irritation.

Skin Causes skin irritation.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.



Revision Date: 05/30/2025

Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Keep cool.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Do not breathe dust, fume, mist, vapors or spray.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. 127

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.



Revision Date: 05/30/2025

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/... equipment

Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong bases. Strong acids Sources of ignition. Direct sunlight. Heat sources.

Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

CAS No.	Ingredient	Source	Value
98-83-9	.alphaMethyl styrene	OSHA	C 100 ppm, 480 mg/m ³
		ACGIH	10 ppm
			TWA 50 ppm (240 mg/m³) STEL: 100 ppm (485 mg/m³)
100-42-5	Styrene	OSHA	100 ppm C 200 ppm
		ACGIH	10 ppm 20 ppm
			TWA 50 ppm (215 mg/m ³) STEL: 100 ppm (425 mg/m ³)
25037-66-	1,3-isobenzofurandione, polymer with 2,5-furandione and 1,2-	OSHA	No Established Limit
5	propanediol	ACGIH	No Established Limit
		NIOSH	No Established Limit



Revision Date: 05/30/2025

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must

use the appropriate, certified respirators.

Eyes Wear safety glasses with side shields to protect the eyes. An eye wash

station is suggested as a good workplace practice.

Skin Avoid skin contact. Wear PVC or rubber gloves to keep skin contact to a

minimum. Refer to the manufacturer's recommendations regarding the

suitability of any gloves used.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work

Practices

Use good personal hygiene practices. Wash hands before eating, drinking,

smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State Liquid

Color Purple Clear

Odor Irritating/pungent odor No available information Melting point / freezing point Initial boiling point and boiling range 146 °C For Styrene (295 °F)

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive

limits

Lower Explosive Limit: No available

information

Upper Explosive Limit: No available

information

Flash Point 32 °C 89 °F



Revision Date: 05/30/2025

Auto-ignition temperature 490 °C 914 °F Styrene **Decomposition temperature** No available information Hq No available information Viscosity (cSt) No available information

Water: 20 Insoluble at 20 Deg C (68 Deg F) **Solubility in Water**

Partition coefficient n-octanol/water (Log

No available information Vapor pressure (Pa) 6.12 mm Hg Styrene

1.02 (Water=1) at 25 Deg C (77 Deg F) **Relative Density**

Relative Vapor Density at 20 C 3.6 (Air=1)

Evaporation rate (Ether = 1) < 1 (BuAc = 1) Styrene

VOC Content 437 g/l (calculated) product as supplied

Oxidising properties No available information **Explosive properties** No available information

Other information

No other relevant information.

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability
Not established. Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

Possibility of hazardous reactions

No available information

Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

Incompatible materials

Strong acids. Strong bases.

Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.



Revision Date: 05/30/2025

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
1,3-isobenzofurandione, polymer with 2,5-furandione and 1,2-propanediol - (25037-66-5)	No data available.	No data available.	No data available.	No data available.	No data available.
Styrene - (100-42-5)	2,650.00, Rat - Category: 5	No data available.	12.00, Rat - Category: 4	No data available.	No data available.
.alphaMethyl styrene - (98-83-9)	No data available.	No data available.	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	Value
98-83-9	.alphaMethyl styrene	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes;
			Group 3: No;
		ACGIH	A3
100-42-5	Styrene	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: Yes;
		IARC	Group 1: No; Group 2a: Yes; Group 2b: No;
			Group 3: No;
		ACGIH	A3
25037-66-	1,3-isobenzofurandione, polymer with 2,5-furandione and 1,2-	OSHA	Regulated Carcinogen: No;
5	propanediol	NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group
			3: No;
		ACGIH	No Established Limit



Revision	Date: 05	/30/2025
----------	----------	----------

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)	4	Harmful if inhaled.
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye	2A	Causes serious eye irritation.
damage/irritation		
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity	2	Suspected of damaging the unborn child.
STOT-single exposure		Not Applicable
STOT-single exposure	3	May cause respiratory irritation.
STOT-repeated exposure	1	Causes damage to organs through prolonged or
		repeated exposure.
Aspiration hazard		Not Applicable

Possible routes of entry: No available information

Symptoms and effects, both acute and delayed:

No specific symptom data available.

Reproductive or genetic defect hazard. Treat symptomatically.

Eyes Causes serious eye irritation.

Skin Causes skin irritation.

Section 12. Ecological information

Toxicity

Harmful to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.



Revision Date: 05/30/2025

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
1,3-isobenzofurandione, polymer with 2,5-furandione and 1,2-propanediol - (25037-66-5)	No data available.	No data available.	No data available.
Styrene - (100-42-5)	4.08, Pimephales promelas	4.70, Daphnia magna	No data available.
.alphaMethyl styrene - (98-83-9)	No data available.	No data available.	No data available.

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.



Revision Date: 05/30/2025

Section 14. Transport information

DOT (Domestic Surface

Transportation)

UN number UN1866

UN proper UN1866, Resin solution,

shipping name flammable,3,III

Transport hazard Class:3

class(es) Sub Class:Not Applicable Sub Class:Not

. .

Packing group |||

IMO / IMDG (Ocean ICAO/IATA

Transportation)

UN1866 UN1866

Resin solution, Resin solution, flammable flammable

Class:3 Class:3

Sub Class:Not Sub Class:Not

Applicable Applicable

III III

Environmental hazards

IMDG Marine Pollutant: No; **Special precautions for user**

No available information

Label Requirement



Section 15. Regulatory information

Regulatory The regulatory data in Section 15 is not intended to be all-inclusive, only **Overview** selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

CAS	Ingredient	Toxic Substance Control Act	Comments	Status
Number		(TSCA)		
0000098-83-	.alphaMethyl styrene	Yes		ACTIVE
9				
0025037-66-	1,3-isobenzofurandione, polymer with 2,5-furandione and 1,2-	Yes	ΧU	ACTIVE
5	propanediol			



Toxic Substance Control Act	Comments	Statue	

Revision Date: 05/30/2025

CAS	Ingredient	Toxic Substance Control Act	Comments	Status
Number		(TSCA)		
0000100-42-	Styrene	Yes		ACTIVE
5				

The following flags are used:

- Active indicates commercial status designation of active
- •E indicates a substance that is the subject of a Section 5(e) Consent Order under TSCA.
- •F indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- •N indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- •P indicates a commenced Premanufacture Notice (PMN) substance.
- •R indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- •S indicates a substance that is identified in a final Significant New Uses Rule.
- •SP indicates a substance that is identified in a proposed Significant New Uses Rule.
- •T indicates a substance that is the subject of a final Section 4 test rule under TSCA.
- •UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials •XU indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
- •Y1 indicates a polymer that has a number-average molecular weight greater than 1,000 and that was exempt under the 1984 polymer exemption rule.
- •Y2 indicates a polymer that is a polyester and that was exempt under the 1984 polymer exemption rule.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Styrene

Proposition 65 - Carcinogens (>0.0%):

.alpha.-Methyl styrene

Styrene



Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Revision Date: 05/30/2025

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [.alpha.-Methylestyrene, Styrene], which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Mass RTK Substances (>1%):

.alpha.-Methyl styrene

Styrene

New Jersey RTK Substances (>1%):

.alpha.-Methyl styrene

Styrene

Pennsylvania RTK Substances (>1%):

Styrene

OSHA Process Safety Management Standard Highly Hazardous Chemicals, Toxics and Reactives:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



US EPA List of Regulated Substances under the Risk Management Plan (RMP) Program:

Revision Date: 05/30/2025

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) under the Minimum Risk Exemption:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

U.S. - DEA List II or Essential Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

U.S. - DEA - Exempt Chemical Mixtures - List 1 and 2:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US DHS Chemical Facility Anti-Terrorism Standards (CFATS):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 311/312 Chemicals and RQs (lbs):

Styrene (1,000.00)

Section 16. Other information

Revision Date

05/30/2025

DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out



Revision Date: 05/30/2025

of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

The full text of the phrases appearing in section 3 is:

H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

End of Document