

# SILVER FERN CHEMICAL, INC.

# Safety Data Sheet

# **Butyl Benzyl Phthalate**

# **SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

#### 1.1 Product identifier

Product name: Butyl Benzyl Phthalate

Synonym(s): BBP; Benzyl butyl phthalate; Butyl benzylphthalate; Butyl phenylmethyl 1,2-benzenedicarboxylate; Phthalic acid, benzyl butyl ester

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Industrial applications
Uses advised against: None known

### 1.3 Details of the supplier and of the safety data sheet

### Manufacturer/Distributor

Silver Fern Chemical, Inc.

121 W. De La Guerra Street, Suite B Santa Barbara, CA 93101 USA Phone: 1-866-282-3384

Website - www.silverfernchemical.com; Email - info@silverfernchemical.com

# 1.4 Emergency telephone number

+1-800-535-5053; Outside USA & Canada +1-352-323-3500

# **SECTION 2 - HAZARDS IDENTIFICATION**

# 2.1 Classification of substance or mixture

Product definition: Substance

Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation EC No. 1272/2008

Reproductive Toxicity - Category 1 [H360df] Aquatic Toxicity, Chronic - Category 1 [H410]

#### 2.2 Label elements

### Hazard symbol(s):





GHS08

GHS

Signal word: Danger

Hazard statement(s): H360df - May damage fertility or the unborn child

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements:

[Prevention] P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P273 - Avoid release to the environment.

P281 - Use personal protective equipment as required.

[Response] P308 + P313 - If exposed or concerned: Get medical attention.

P391 - Collect spillage.

[Storage] P405 - Store locked up.

[Disposal] P501 - Dispose of contents and containers in accordance with national and local regulations.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None known

# <u>SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS</u>

# 3.1 Substances

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
90 - 100	Butyl Benzyl Phthalate	85-68-7	201-622-7	607-430-00-3	H360df, H400

There are no additional ingredients present in this product which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 3.2 Mixtures

Not applicable

Effective Date: 21 January 2021 Supersedes: 24 April 2017



### **SECTION 4 – FIRST AID MEASURES**

#### 4.1 Description of first aid measures

Inhalation: If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. If unconscious, maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Seek immediate medical attention.

Eyes: Immediately flush eyes with large amounts of water or saline solution for at least 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do after first 2 minutes and continue rinsing. If irritation persists, seek medical attention, preferably from an ophthalmologist.

Skin: Rinse skin with water while removing contaminated clothing. Wash the affected area with soap and water followed by thorough rinsing. Wash contaminated clothing and shoes before reuse. If irritation persists, seek medical attention.

Ingestion: Rinse mouth with water if the victim is conscious. Remove dentures if present. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept lower than the waist so that vomit does not enter the lungs. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. If the victim is unconscious, place in the recovery position and get immediate medical attention. Seek medical attention if the victim feels unwell or if a large quantity of material has been ingested.

# 4.2 Most important symptoms and effects, both acute and delayed

### Potential health symptoms and effects

Eyes: May cause eye irritation with redness, discomfort, swelling and tearing. Vapor or mist from may cause eye irritation.

Skin: May cause skin irritation. This material is a low hazard for normal industrial handling.

Inhalation: Low inhalation hazard unless this material is heated or misted. If heated, inhalation may cause irritation of the upper respiratory tract and mucous membranes. Symptoms may include runny nose, scratchy throat, coughing, chest pain and shortness of breath. Higher exposures may cause central nervous system effects with dizziness, narcosis, nausea and headache.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting, abdominal pain and diarrhea. May cause irritation of the mucous membranes of the mouth, throat and stomach. Ingesting large amounts may cause depression of the central nervous system with lethargy, drowsiness and incoordination

Chronic: Persons with pre-existing skin disorders or impaired respiratory function may be more susceptible to the effects of this substance. Chronic exposure may cause damage to the liver and kidneys. Butyl Benzyl Phthalate has potential toxic effects on fertility, reproductive organs, fetal development and endocrine activity and has caused cancer in laboratory animals. Refer to Section 11.2

# 4.3 Indication of any immediate medical attention and special treatment needed

Advice to doctor and hospital personnel

Treat symptomatically and supportively.

# **SECTION 5 - FIRE FIGHTING MEASURES**

### 5.1 Extinguishing media

Suitable methods of extinction: Use extinguishing media such as dry chemical, carbon dioxide, alcohol-resistant foam, water spray or water fog. Unsuitable methods of extinction: Water jets or streams can spread the fire.

# 5.2 Special hazards arising from the substance or mixture

Closed containers may rupture due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

**Explosion hazards**: This product is not considered to be an explosion hazard.

# 5.3 Advice to firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. Water contaminated by this material must be contained from being discharged to any waterway, sewer or drain to prevent environmental contamination.

# **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2. Ventilate the area. Remove all sources of ignition. NO SMOKING. Clean up spills immediately. Spill creates a slip hazard.

#### 6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways.

# 6.3 Methods and materials for containment and cleaning up

Cover drains and contain spill. DO NOT FLUSH SPILLS DOWN THE DRAIN. Cover spill with a large quantity of inert absorbent. Do use combustible material such as sawdust. Collect material and place it in an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Clean contaminated area with soap and water. Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Dispose of material via a licensed waste disposal contractor.

Effective Date: 21 January 2021 Supersedes: 24 April 2017 **Butyl Benzyl Phthalate** 



Releases should be reported, if required, to appropriate agencies. Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RQ (U.S. Section 304). If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Center at (800) 424-8802 (USA) or (202) 426-2675 (USA).

#### 6.4 Reference to other sections

For indications about waste treatment, see Section 13.

## **SECTION 7 – STORAGE AND HANDLING**

#### 7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. NO SMOKING. Do not breathe vapor or mist. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator. Wash contaminated clothing and shoes thoroughly after use.

### Advice on protection against fire and explosion

Avoid exposure to high temperatures, sources of ignition and hot surfaces.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, well-ventilated area away from incompatible materials (see Section 10.5), food and drink. Transfer only to approved containers having correct labeling. Keep container tightly closed when not in use. Protect containers from physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers of this material are hazardous when empty as they contain product residues. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Keep out of reach of children.

# 7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

# **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### 8.1 Control parameters

Occupational exposure limit values

CAS Number	Ingredient	OSHA PEL	ACGIH TLV	NIOSH
85-68-7	Butyl Benzyl Phthalate	5 mg/m <sup>3</sup> TWA	5 mg/m <sup>3</sup> TWA	5 mg/m³ TWA; 4,000 ppm IDLH

### 8.2 Exposure controls

Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

Hygiene measures: Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking or using the lavatory.

Eye/face protection: Wear protective splash goggles or safety glasses with unperforated side shields during use. A face shield is recommended if splashing is anticipated during use.

Hand protection: Wear gloves made of Nitrile rubber or those recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

Skin protection: Wear protective clothing, if needed. Wear protective boots if the situation requires.

Respiratory protection: Always use an approved respirator when vapor/aerosols exceed permissible exposure limits. Where risk assessment shows air-purifying respirators are appropriate use a half-mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Environmental exposure controls: Do not empty into drains.

PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean fit and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to ensure adequate protection







# **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

**Appearance** Clear, colorless liquid Odor Odorless

Effective Date: 21 January 2021 Supersedes: 24 April 2017

**Safety Data Sheet Butyl Benzyl Phthalate** 



Page 3 of 8

**Odor Threshold** No data available **Molecular Weight** 312.36 g/mol **Chemical Formula** C<sub>19</sub>H<sub>20</sub>O<sub>4</sub> рΗ Not applicable Freezing/Melting Point < -35 °C (< -31 °F) **Initial Boiling Point** 370 °C (698 °F) **Evaporation Rate** < 1 [n-BuOAc = 1]

199 °C (390.2 °F) COC **Flash Point** 232.0 °C (449.6 °F) [literature] **Autoignition Temperature** 

Not applicable

**Decomposition Temperature** No data available Lower Explosive Limit (LEL) No data available **Upper Explosive Limit (UEL)** No data available Vapor Pressure Negligible @ 20 °C **Vapor Density** 10.8 [Air = 1]

**Specific Gravity** 1.12

Viscosity 42 cPs @ 25 °C

Solubility in Water Negligible; 0.00269 g/l @ 25 °C Partition Coefficient (n-octanol/water) log Pow = 4.91 @ 20 °C

**Oxidizing Properties** Not applicable **Explosive Properties** Not applicable Volatiles by Weight @ 21 °C No data available

# 9.2 Other Data

None known

Flammability (solid, gas)

# **SECTION 10 – STABILITY AND REACTIVITY**

# 10.1 Reactivity

This material is stable under normal handling conditions and use.

# 10.2 Chemical Stability

This material is stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

# 10.4 Conditions to avoid

High temperatures, hot surfaces, contact with incompatible materials

### 10.5 Incompatible materials

Strong oxidizing agents, strong bases

# 10.6 Hazardous decomposition products

Thermal decomposition products include oxides of carbon.

# SECTION 11 - TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

#### Acute oral toxicity

LD<sub>50</sub>, rat: 2,330 mg/kg (male and female)

### Acute inhalation toxicity

No data available

# Acute dermal toxicity

 $LD_{50}$ , rabbit: > 10,000 mg/kg

### Skin irritation

May cause skin irritation.

# Eye irritation

May cause eye irritation.

# Sensitization

No data available

# Carcinogenicity

No data available

#### Reproductive toxicity

May damage fertility or the unborn child.

Page 4 of 8

#### Genotoxicity

No data available

### Mutagenicity

No data available

### Specific organ toxicity - single exposure

May cause respiratory irritation, drowsiness or dizziness when material is heated or as a mist.

# Specific organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### 11.2 Further information

**Butyl Benzyl Phthalate** (CAS #85-68-7): IARC Group 3 carcinogen - *Not classifiable as to its carcinogenicity to humans*. The EPA has classified Butyl Benzyl Phthalate as a Group C carcinogen - *Possible human carcinogen*. Not classified as a carcinogen by ACGIH, NTP or OSHA.

Major adverse effects of butyl benzyl phthalate observed are those on body weight, pancreas, liver, kidneys and the reproduction and development of offspring. Weight reduction of the testes and epididymides, seminiferous tubular atrophy, reduced testicular sperm counts and disrupted blood hormone levels such as decreased serum concentration of testosterone were observed effects of butyl benzyl phthalate on the reproductive organs of male animals. Reduced ovarian weight was observed as a butyl benzyl phthalate effect on female parental animals. Decreased fertility rates and increased postimplantation loss rates were also observed. Clear adverse effects of in utero exposure to butyl benzyl phthalate were decreased survival rate, lowered body weights, decreased anogenital distance (AGD) of male offspring and reduced weights of the testes and epididymides, as well as increased AGD in female offspring.

Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12 - ECOLOGICAL INFORMATION**

## 12.1 Toxicity

Very toxic to aquatic life with long term effects.

**Toxicity to fish:** LC<sub>50</sub> - Cymatogaster aggregata (Shiner perch), 96 h: 0.47 - 0.56 mg/l

LC<sub>50</sub> - Lepomis macrochirus (Bluegill), 96 h: 1.7 mg/l

**Toxicity to aquatic invertebrates:** EC<sub>50</sub> - Daphnia magna (Water flea), 48 h: 1.8 mg/l

**Toxicity to aquatic plants:** EC<sub>50</sub> - Desmodesmus subspicatus (Green algae), 72 h: 0.31 mg/l, growth inhibition

# 12.2 Persistence and degradability

This product is readily biodegradable.

### 12.3 Bioaccumulation potential

This material has the potential to bioaccumulate.

# 12.4 Mobility in soil

This substance is expected to have low mobility in soil.

## 12.5 Results of PBT and vPvB assessment

No data available

# 12.6 Other effects

### Additional ecological information

Do not allow material to run into surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# **SECTION 13 - DISPOSAL CONSIDERATIONS**

# 13.1 Waste treatment methods

Methods of disposal: The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

RCRA F-Series: No listings above the reportable threshold (de minimis) RCRA U-Series: No listings above the reportable threshold (de minimis)

# SECTION 14 – TRANSPORTATION INFORMATION

**Note:** Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

Effective Date: 21 January 2021

Supersedes: 24 April 2017

Safety Data Sheet

Butyl Benzyl Phthalate



Limited quantity for miscellaneous materials Packing Group III when inner packagings are not over 5.0 liters (1.3 gallons) net capacity each, packed in a strong outer packaging.

**USA DOT (Ground Transportation) - Bulk** 

Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s. (Butyl Benzyl Phthalate)

Hazard Class9UN/NAUN3082Packing GroupIII

NEAREG Guide #171

Packaging Authorization Non-Bulk: 49 CFR 173.203; Bulk: 173.241

Packaging Exceptions 49 CFR 173.155

IMO/IMDG (Water Transportation)

Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s. (Butyl Benzyl Phthalate)

Hazard Class9UN/NAUN3082Packing GroupIIIMarine PollutantYESEMS NumberF-A, S-F

ICAO/IATA (Air Transportation)

Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s. (Butyl Benzyl Phthalate)

Hazard Class 9
UN/NA UN3082
Packing Group III

Quantity Limitations 49 CFR 175.27 and 175.75 - Cargo Aircraft Only: No limit; Passenger Aircraft: No limit

**RID/ADR (Rail Transportation)** 

Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s. (Butyl Benzyl Phthalate)

Hazard Class 9
UN/NA UN3082
Packing Group III

# **SECTION 15 - REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

**U. S. Federal Regulations** 

OSHA Hazard Communication Standard: This material is not classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

**Toxic Substance Control Act (TSCA) Inventory:** All substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number No listing

Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number: No listing

Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals: No listing

Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories: May damage fertility or the unborn child

**SARA 313 Information:** None of the components of this product are subject to reporting requirements of Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

SARA 302/304 Extremely Hazardous Substance: None of the components of this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

SARA 302/304 Emergency Planning & Notification: None of the components of this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): This material contains the following CERCLA reportable substance: Butyl Benzyl Phthalate (CAS #85-68-7): RQ = 45.36 kg (100 lb)

# Clean Air Act (CAA)

Butyl Benzyl Phthalate (CAS #85-68-7) is a Hazardous Air Pollutant (HAP) designated in CAA Section 112 (b).

This product does not contain Class 1 ozone depletors. This product does not contain Class 2 ozone depletors.

# Clean Water Act (CWA)


Effective Date: 21 January 2021

Supersedes: 24 April 2017

Butyl Benzyl Phthalate (CAS #85-68-7) is a Hazardous Substance.

Butyl Benzyl Phthalate (CAS #85-68-7) is a Priority Pollutant.

Phthalate Esters are Toxic Pollutants.





Page 6 of 8

Drum Label(s)

9



Marine Pollutant

### **U.S. State Regulations**

### California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

**WARNING:** This product will expose you to Butyl Benzyl Phthalate, which is known to the state of California to cause birth defects or reproductive harm. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>.

#### Other U.S. State Inventories

Butyl Benzyl Phthalate (CAS #85-68-7) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: CA, DE, ME, MN, NJ, NY, PA, .

#### Canada

WHMIS Hazard Classification: No data available

Canadian National Pollutant Release Inventory (NPRI): Butyl Benzyl Phthalate (CAS #85-68-7) is listed on the NPRI.

### **European Economic Community**

WGK, Germany (Water danger/protection): 3 (high hazard to waters)

### **Global Chemical Inventory Lists**

Country	Inventory Name	Listed
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substance List (NDSL)	No
Europe	Inventory of New and Existing Chemicals (EINECS)	Yes
United States	Toxic Substance Control Act (TSCA)	Yes
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (KECI)	Yes
Philippines	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>Yes - All components of this product comply with the inventory requirements administered by the governing country.

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

# **SECTION 16 - OTHER INFORMATION**

### **Hazardous Material Information System (HMIS)**



C= safety glasses, gloves & apron

#### **HMIS Hazard Rating Legend**

0 = Minimal 1 = Slight 2 = Moderate

3 = Serious 4 = Severe


\* = Chronic Health Hazard

# NFPA Hazard Rating Legend

0 = Insignificant 1 = Slight 2 = Moderate

3 = High 4 = Extreme

# National Fire Protection Association (NFPA)



# **Abbreviation Key**

ACGIH	American Conference of Governmental Industrial Hygienists	$LD_{Lo}$	Lowest Lethal Dose
ADR	Accord Dangereux Routier (European regulations concerning	mppcf	Millions of Particles Per Cubic Foot
	the international transport of dangerous goods by road)		
CAS	Chemical Abstract Services	NA	North America
CFR	Code of Federal Regulations	NAERG	North American Emergency Response Guide Book
COC	Cleveland Open Cup	NIOSH	National Institute for Occupational Safety & Health
DOT	Department of Transportation	NTP	National Toxicology Program
EC <sub>50</sub>	Half maximal effective concentration	OSHA	Occupational Safety and Health Administration
EMS	Emergency Response Procedures for Ships Carrying	PBT	Persistent, Bioaccumulating and Toxic
EPA	Environmental Protection Agency	PEL	Permissible exposure limit
ErC <sub>50</sub>	Reduction of Growth Rate	PMCC	Pensky-Martens Closed Cup
ERG	Emergency Response Guide Book	ppm	Parts Per Million
FDA	Food and Drug Administration	RCRA	Resource Conservation and Recovery Act
GHS	Globally Harmonized System of Classification and Labelling of	RID	Dangerous Goods by Rail
	Chemicals (GHS)		
HCS	Hazard Communication Standard	RQ	Reportable Quantity
IARC	International Agency for Research on Cancer	TCC/Tag	Tagliabue Closed Cup
IATA	International Air Transport Association	TLV	Threshold Limit Value

Effective Date: 21 January 2021 Supersedes: 24 April 2017



No - One or more components of this product are not on the inventory or are exempt from listing.

IC50 Half Maximal Inhibitory Concentration **TSCA** Toxic Substance Control Act **ICAO TWA** International Civil Aviation Organization Time-weighted Average **IDLH** UN **United Nations** Immediately Dangerous to Life and Health **IMDG** VOC International Maritime Dangerous Goods Volatile Organic Compounds vPvB IMO International Maritime Organization Very Persistent and Very Bioaccumulating  $LC_{50}$ 50% Lethal Concentration WHMIS Workplace Hazardous Materials Information System

# 50% Lethal Dose **DISCLAIMER OF RESPONSIBILITY**

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

Revision date: 21 January 2021, Version 2

<end of document>

 $LD_{50}$ 

Effective Date: 21 January 2021 Safety Data Sheet Supersedes: 24 April 2017 **Butyl Benzyl Phthalate** 

