

SAFETY DATA SHEET

VM&P Naphtha, < 1%

SECTION I - IDENTIFICATION



Silver Fern Chemical, Inc.
121 W. De La Guerra Street, Suite B
Santa Barbara, CA 93101 USA
Customer Service: 866-282-3384 /
info@silverfernchemical.com

Product Name VM&P Naphtha, < 1%
Synonyms
CAS Number 68410-97-9
Date Revised 2/14/2019
Recommended Use Petrochemical Industry

24 Hour Emergency Contact:
Infotrac 1-800-535-5053 (USA & Canada)
Outside USA & Canada 1-352-323-3500

SECTION II - HAZARDOUS IDENTIFICATION

GHS CLASSIFICATION:

Classification

Flammable Liquids	Category 2
Aspiration Hazard	Category 1
Skin Corrosion/Irritation	Category 2
Specific target organ toxicity, single exposure, N	Category 3
Hazardous to the aquatic environment, long-term hazard	Category 2

DANGER!

GHS LABEL:



Hazard Statements

H225	Highly flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause dizziness or drowsiness
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet
VM&P Naphtha, < 1%

Precautionary Statements

P210	Keep away from heat, hot surfaces, sparks, open flames, and other ignition, sources. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/light.../ equipment, etc.
P242	Use only non-sparking tools.
P243	Take precautionary measures to prevent static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash... thoroughly after handling.
P271	Use only outdoors or in a well-ventilated are.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+352	IF ON SKIN: Wash with plenty of water/...
P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+340	IF INHALED: Remove victim to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER or a doctor/physician if you feel unwell.
P321	Specific treatment (see ... on this label).
P331	Do NOT induce vomiting.
P332+313	If skin irritation occurs: get medical advice/attention.
P362+364	Take off immediately all contaminated clothing and wash it before reuse.
P370+378	In case of fire: Use(See Section 5 of SDS) to extinguish.
P391	Collect spillage.
P403+233	Store in a well ventilated place. Keep container tightly closed.
P403+235	Store in a well ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to: local/regional/national/international regulations.

SECTION III - COMPOSITION/INFORMATION ON INGREDIENTS

Safety Data Sheet

VM&P Naphtha, < 1%

The precise composition of this product is proprietary information. In the event of a medical emergency, a complete disclosure will be provided to medical personnel.

Component Name	CAS #	Component%	OSHA PEL	ACGIH TLV
Light Hydrotreated Distillate	68410-97-9	100%	300 ppm	300 ppm

SECTION IV - FIRST AID MEASURES

- Contact with eyes:** Wash immediately and continuously with flowing water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
- Skin contact:** Flush skin with large amounts of water while removing contaminated clothing. Wash the affected area with soap followed by thorough rinsing. Wash contaminated clothing and shoes before reuse. If irritation persists, seek medical attention.
- Inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. If breathing stops, give artificial respiration. Get medical advice/attention.
- Ingestion:** Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband.

SECTION V - FIREFIGHTING MEASURES

- Suitable Extinguishing Media:** Use dry chemical, Carbon Dioxide, Water Spray, Water Fog, or foam.
- Special Fire Fighting Procedures** Use self-contained breathing apparatus and full bunker gear in fire areas. Evacuate all unprotected personnel from area. Keep containers cool with water fog to minimize swelling taking care not to spread flames with water used for cooling.
- Unusual Fire Fighting Hazards:** Product is flammable and may be ignited by heat, sparks, flames or other sources of ignition (e.g., static electricity, pilot lights or mechanical/electrical equipment). Vapors are heavier than air and may accumulate in low areas. Vapors may travel considerable distance to a source of ignition where they can ignite, flashback or explode. May create vapor/air explosion hazard indoors, outdoors or in sewers. If container is not properly cooled, it can explode in the heat of a fire.

Safety Data Sheet
VM&P Naphtha, < 1%

SECTION VI - ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Any/all persons dealing with the spill should wear appropriate personal protective equipment. Keep others away from spill/leak. Restrict access to area until the spill has been cleaned up.
- Environmental Precautions:** Prevent liquid from entering drains, sewers or waterways.
Contain spill if it can be done with minimal risk.
Notify proper authorities.
- Methods for Cleaning Up:** Use proper personal protective equipment. Isolate and secure the area and follow the appropriate emergency guidelines. If local high concentration of airborne mist occurs, dilute spill with plenty of water and ventilate to disperse mist laden air. Sweep up spill and reclaim or place in a covered waste disposal container. Report spill to proper authorities
Using only non-sparking tools and explosion proof equipment, collect spill on absorbent material and put into approved container.

SECTION VII - HANDLING AND STORAGE

- Handling and Storage:**
- Store in cool, dry, ventilated area away from any heat source. Storage area should be clearly identified and free of obstruction. Keep containers tightly closed and in an upright position when not in use.
 - Bond and ground all equipment when transferring from one vessel to another. The use of explosion-proof equipment is recommended.
 - "Empty" containers retain residue and/or vapor and may be dangerous. Do not cut, weld, braze solder, drill, grind or expose such containers to heat, flames, sparks, or other ignition sources.
 - Keep containers tightly closed in a dry and well-ventilated place.
 - Avoid prolonged breathing of mist or vapor. Wash thoroughly after handling.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

EXPOSURE LIMITS:

Component Name	CAS #	OSHA PEL	ACGIH TLV
Light Hydrotreated Distillate	68410-97-9	300 ppm	300 ppm

Engineering Controls: Adequate local or mechanical to reduce vapor or mist to below the PEL or TLV.

Monitoring: Follow accepted work practices for handling a flammable material.
Do not eat, drink or smoke in areas where this chemical is used or stored.
Have eye wash stations and safety showers readily available.

Personal Protective Equipment (PPE)

Eye Protection: Goggles or approved OSHA device with side shields; do not wear contact lenses when handling this product.

Safety Data Sheet
VM&P Naphtha, < 1%

Skin Protection: Wear safety glasses with un-perforated side shields.
Impervious apron and work boots recommend where splashing may occur.

Respiratory Protection: Use the proper respirator in areas where the chemical exposure is unknown or above the OSHA PEL or ACGIH TLV.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, Colorless Liquid
Odor	Hydrocarbon
pH@25°C	NDA
Melting/Freezing Point	<-60°C
Flashpoint	15°C
Specific Gravity	0.74
Solubility	Insoluble
Auto-Ignition Temperature	280°C - 470°C
Decomposition Temperature	NDA
VOC Content	
Odor Threshold	NDA
Boiling Range	118°C - 149°C
Evaporation Point	0.987 (butyl acetate=1)
Flammable Limits - Upper	7.6%
Flammable Limits - Lower	1.4%
Vapor Pressure	2.1 kPa
Vapor Density (Air=1)	NDA
Viscosity	<10 cSt @ 40°C

SECTION X - STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to Avoid: Avoid all possible sources of ignition (sparks or flame) Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Hazardous Decomposition/Byproducts: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous Polymerization: Will not occur.

Polymerization Conditions to Avoid: None known.

Incompatibilities: Strong Oxidizers.

Safety Data Sheet
VM&P Naphtha, < 1%

SECTION XI - TOXICOLOGICAL INFORMATION

Likely Route of Exposure: Routes of entry: inhalation, skin & eyes, ingestion, skin absorption

Inhalation: Can cause central nervous system depression. May be fatal if swallowed and enters airways.
Adverse symptoms may include the following: nausea or vomiting, headache, drowsiness, fatigue, dizziness, vertigo and or unconsciousness.

Eye Contact: Adverse symptoms may include the following: pain, irritation, watering and or redness.

Skin Contact: Adverse symptoms may include the following: irritation and or redness.

Ingestion: Adverse symptoms may include the following: nausea or vomiting.

Acute Toxicity Value: See Health Hazards below.

Chronic (Long Term) Effects: See Health Hazards above.

Toxicity:

Component Name	LD50	LC50
Light Hydrotreated Distillate	Not Established	Not Established

Reproductive Effects NDA

Teratogenicity NDA

Mutagenicity NDA

Embryotoxicity NDA

Sensitization to Product NDA

Synergistic Products NDA

Carcinogenicity NDA

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity: Information not available.

Mobility: Information not available.

Safety Data Sheet
VM&P Naphtha, < 1%

Degradability: Inherently biodegradable.

BioAccumulation: Potential

SECTION XIII - WASTE DISPOSAL CONSIDERATIONS

Follow Federal, state, and local regulations.

SECTION XIV - TRANSPORT INFORMATION

DOT SHIPPING INFORMATION

Proper Shipping Name: Petroleum Distillates, N.O.S.

Contains: Petroleum Distillates

Hazard Class and Label: 3

Identification Number: UN 1268

Packaging Group: II

Other Shipping Info:

SECTION XV - REGULATORY INFORMATION

TSCA STATUS:..... The components of this product are listed on the TSCA Inventory

SARA TITLE III SECTION 302/304 EXTREMELY HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

SARA TITLE III SECTION 311/312 HAZARD CATEGORIZATION:

Acute	Chronic	Fire	Pressure	Reactive
X		X		

SARA TITLE III SECTION 313 SUPPLIER INFORMATION:

No chemicals in this material are subject to the reporting requirements.

CERCLA SECTION 102(a) HAZARDOUS SUBSTANCE:

No chemicals in this material are subject to the reporting requirements.

Safety Data Sheet
VM&P Naphtha, < 1%

CALIFORNIA PROPOSITION 65:

No chemicals in this material are subject to the reporting requirements.

SECTION XVI - OTHER INFORMATION
--

HMIS Health: 1

HMIS Flammability: 3

HMIS Reactivity: 0

DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

<end of document>

Approved - TL 6-9-22