

**LINPAR 1416-V Normal Paraffin****SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Trade name** LINPAR 1416-V Normal Paraffin  
**Synonyms** Mixture of Tetradecane, Pentadecane and Hexadecane  
**Use** Industrial use, Lighting, Metal Processing, Oilfield Drilling  
**Company** Silver Fern Chemical, Inc.

**Address** 2226 Queen Anne Ave. North, Suite C  
Seattle, WA 98109, USA

**Telephone** 1-866-282-3384

**Emergency phone Number** 24 Hour Emergency Contact                      Business Contact  
Infotrac 1-800-535-5053 (USA & Canada)                      Customer Service: 1-866-282-3384  
Outside USA & Canada 1-352-323-3500                      info@silverfernchemical.com

**SECTION 2 HAZARDS IDENTIFICATION**

**OSHA/GHS Hazards** Aspiration hazard                      Category 1

**LABEL ELEMENTS**

**Hazard symbols**



**Signal word** Danger

**Hazard statements** H304 May be fatal if swallowed and enters airways.

**Precautionary statements**

**Response** P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.

**Storage** P405 Store locked up.

**Disposal** P501 Dispose of contents/ container to an approved waste disposal plant.

**LINPAR 1416-V Normal Paraffin**

---

**SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS**

---

<u>Components</u>	<u>CAS-No.</u>	<u>Weight percent</u>
C14-16 Normal Paraffins	90622-46-1	100

See Section 8 for Exposure Guidelines and Section 15 for Regulatory Classifications.

---

**SECTION 4 FIRST AID MEASURES**

---

- Eye contact** Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, consult a specialist.
- Skin contact** In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Inhalation** Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.
- Ingestion** Do NOT induce vomiting. Consult a physician.

---

**SECTION 5 FIREFIGHTING MEASURES**

---

**FLAMMABLE PROPERTIES**

**Fire/explosion** NFPA Class IIIB combustible liquid.

**Suitable extinguishing media** Water spray. Foam. Dry chemical. Carbon dioxide (CO<sub>2</sub>).

**Protective equipment and precautions for firefighters** In the event of fire, wear self-contained breathing apparatus.

**Further information** Keep containers and surroundings cool with water spray.

---

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

---

**Methods and materials for containment and cleaning up** Evacuate the area and eliminate all sources of ignition. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**LINPAR 1416-V Normal Paraffin**

---

**SECTION 7 HANDLING AND STORAGE**

---

**Safe handling advice** Ensure all equipment is electrically grounded before beginning transfer operations.

**Storage/Transport pressure** Ambient

---

**SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

**ENGINEERING MEASURES**

Air contaminant levels should be controlled below the PEL or TLV for this product (see Exposure Guidelines).

**PERSONAL PROTECTIVE EQUIPMENT**

**Eyes** Wear as appropriate:  
Goggles. Face-shield.

**Skin** Wear suitable protective clothing, gloves and eye/face protection.

**Inhalation** Respiratory protection is normally not required except in emergencies or when conditions cause excessive airborne levels of mists or vapors. Use NIOSH approved respiratory protection.

**EXPOSURE GUIDELINES**

Contains no substances with occupational exposure limit values., Sasol Chemicals (USA) LLC recommends an internal limit of 5 mg/m<sup>3</sup> (8-hour TWA) for exposure to mists of this product.

---

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

---

**Appearance** liquid

**Colour** water-white, oily

**Form** liquid

**Odour** Hydrocarbons

**Odour Threshold** No data available

**Flash point** 118 °C, 244 °F; PM;

**Flammability** Upper explosion limit: 4.7 %(V)

Lower explosion limit: 0.5 %(V)

**Boiling point/boiling range** 248 - 284 °C, 478 - 544 °F; ASTM D-86;

**LINPAR 1416-V Normal Paraffin**

---

<b>Melting point/range</b>	4 °C, 39 °F; (Freeze pt.)
<b>Auto-ignition temperature</b>	204 °C, 400 °F;
<b>Decomposition temperature</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Vapour pressure</b>	< 0.1 mm Hg @ 20 °C, 68 °F; API Calculation;
<b>Vapour density</b>	7.1
<b>Density</b>	No data available
<b>Relative density</b>	0.768 @16 °C, 61 °F;
<b>Water solubility</b>	negligible
<b>Viscosity</b>	2.3 - 2.5 cSt @ 40 °C, 104 °F;
<b>pH</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	No data available

---

**SECTION 10 STABILITY AND REACTIVITY**

---

<b>Reactivity</b>	Stable under recommended storage conditions.
<b>Chemical stability</b>	No decomposition if stored and applied as directed.
<b>Conditions to avoid</b>	Keep away from heat and sources of ignition.
<b>Hazardous decomposition products</b>	Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.
<b>Materials to avoid</b>	Oxidizing agents.
<b>Hazardous polymerisation</b>	None known



## LINPAR 1416-V Normal Paraffin

---

**SECTION 11 TOXICOLOGICAL INFORMATION**

---

<b>Acute dermal toxicity</b>	LD50 Rabbit: > 2,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 Rat (4 hours): > 5.8 mg/l
<b>Acute oral toxicity</b>	LD50 Rat: > 2,000 mg/kg
<b>Skin corrosion/irritation</b>	(Rabbit) Repeated exposure may cause skin dryness or cracking.
<b>Serious eye damage/eye irritation</b>	Primary irritation (Rabbit): 1 hours; 5.7 (Max. score is 110.) (unwashed eyes) Not irritating
<b>Respiratory or skin sensitisation</b>	No data available
<b>Germ cell mutagenicity</b>	<b>Genotoxicity in vitro:</b> No data available  <b>Genotoxicity in vivo:</b> No data available  <b>Assessment Mutagenicity:</b> No data available
<b>Reproductive toxicity</b>	<b>Reproductive toxicity:</b> No data available  <b>Assessment Reproductive toxicity:</b> No data available  <b>Teratogenicity:</b> No data available  <b>Assessment teratogenicity:</b> No data available
<b>STOT - single exposure</b>	No data available
<b>STOT - repeated exposure</b>	No data available
<b>Aspiration toxicity</b>	May be fatal if swallowed and enters airways.
<b>Carcinogenicity</b>	<b>Assessment carcinogenicity:</b> Contains no ingredient listed as a carcinogen

**LINPAR 1416-V Normal Paraffin**

---

**SECTION 12 ECOLOGICAL INFORMATION**

---

<b>Aquatic toxicity</b>	Not toxic to aquatic organisms (fish, daphnia, algae) up to water solubility.
<b>Toxicity to fish</b>	LL50 (Pimephales promelas (fathead minnow)) 96 hours In the range of water solubility not toxic under test conditions.
<b>Toxicity to aquatic invertebrates</b>	EL50 (Ceriodaphnia dubia (water flea)) 192 hours In the range of water solubility not toxic under test conditions.
<b>Toxicity to algae</b>	No data available
<b>Chronic toxicity to fish</b>	No data available
<b>Chronic toxicity to aquatic invertebrates</b>	No data available
<b>Biodegradation</b>	Readily biodegradable. OECD Test Guideline 301F (28 d): 82 % Test substance: LINPAR 1417
<b>Bioaccumulative potential</b>	No data available
<b>Mobility in soil</b>	No data available
<b>Other adverse effects</b>	No data available

**SECTION 13 DISPOSAL CONSIDERATIONS**

---

<b>Waste Code</b>	Any unused product or empty containers may be disposed of as non-hazardous in accordance with state and federal requirements. Re-evaluation of the product may be required by the user at the time of disposal, since the product uses, transformations, mixtures, contamination, and spillage may change the classification. If the resulting material is determined to be hazardous, please dispose in accordance with state and federal (40 CFR 262) hazardous waste regulations.
<b>Disposal methods</b>	Dispose of only in accordance with local, state, and federal regulations.


**LINPAR 1416-V Normal Paraffin**

**Empty containers.** Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Empty drums should be completely drained, triple-rinsed, properly bunged and promptly returned to a drum reconditioner, or properly disposed.

**SECTION 14 TRANSPORT INFORMATION**

**DOT** not regulated  
**IATA** not regulated  
**IMDG** not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

**Remarks** No data available

**SECTION 15 REGULATORY INFORMATION**
**U.S. FEDERAL REGULATIONS**
**TSCA Inventory Listing**
**Components**

Alkanes, C14-16

All chemical substances in this product are either on the TSCA Active Inventory, or in compliance with the inventory.

**CAS-No.**

90622-46-1

**SARA 302 Status**
**Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**CAS-No.**
**Weight percent**
**SARA 311/312 Classification**

Should this product meet EPCRA 311/312 Tier reporting criteria of 40 CFR 370, refer to Section 2 of this SDS for appropriate classification and Section 3 for components that meet the hazardous classification.

**SARA 313 Chemical**
**Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**CAS-No.**
**Weight percent**
**US. EPA CERCLA Hazardous Substances (40 CFR 302)**
**Components**

none

**Reportable Quantity**
**Weight percent**


**LINPAR 1416-V Normal Paraffin**


---

**INTERNATIONAL REGULATIONS**
**WHMIS Classification**

Aspiration hazard Category 1

**European Union**

Classification according to Regulation (EU) 1272/2008.

 Aspiration hazard, Category 1  
 Repeated exposure may cause skin dryness or cracking.

<b>Australia. Inventory of Chemical Substances (AICS)</b>	Listed
<b>Japan. Inventory of Existing and New Chemical Substances (ENCS)</b>	Listed
<b>Japan. ISHL - Inventory of Chemical Substances</b>	Listed
<b>Canada. Domestic Substances List (DSL) Inventory</b> This product or a component is the subject of a Significant New Activity (SNAc) notice under CEPA.	Listed
<b>Canada. Non-Domestic Substance Listing (NDSL)</b>	Not listed
<b>Philippines. Inventory of Chemicals / Chemical Substances (PICCS)</b>	Listed
<b>Korea. Existing Chemicals Inventory (KECI)</b>	Listed
<b>China. Inventory of Existing Chemical Substances (IECSC)</b>	Listed
<b>Mexico. National Inventory of Chemical Substances (INSQ)</b>	Not listed
<b>New Zealand. Inventory of Chemical Substances (NZIoC)</b>	Listed
<b>Switzerland. Inventory of Notified New Substances (CHINV)</b>	Listed
<b>Taiwan. National Existing Chemical Inventory (NECI)</b>	Listed

Please note: The names and CAS numbers which are used for this product in the stated inventories may deviate from the information which is listed in Section 3.

**STATE REGULATIONS**
**California Prop. 65**
**Components**

none

**CAS-No.**


---

**SECTION 16 OTHER INFORMATION**


---



**LINPAR 1416-V Normal Paraffin**

---

**HAZARD RATINGS**

	<u>Health</u>	<u>Flammability</u>	<u>Physical Hazard/ Instability</u>
<b>HMIS®</b>	1	1	0
<b>NFPA</b>	1	1	0

---

---

**Disclaimer Of Responsibility**

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable

<end of document>

---