

**Revision Date: 05/30/2025** 

#### Section 1. Identification

Product IdentityN-Butyl MethacrylateOther means of identificationNot Applicable

Relevant identified uses of the substance or mixture and uses advised against

See Technical Data Sheet.

Details of the supplier of the safety data sheet

Company Name Silver Fern Chemical, Inc.

121 W. De La Guerra Street, Suite B Santa Barbara, CA 93101 USA Customer Service: 1-866-282-3384 /

info@silverfernchemical.com

Website - www.silverfernchemical.com

24 hour Emergency

Telephone No.

Emergency telephone number

Infotrac: 1-800-535-5053

Outside USA & Canada +1-352-323-3500

## Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Flammable Liquid, category 3;H226 Skin corrosion/irritation category 2;H315 Serious eye damage / eye irritation, category 2A;H319 Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation.



**Revision Date: 05/30/2025** 

Skin sensitizer category 1;H317

May cause an allergic skin reaction.

Specific target organ toxicity, Single exposure category 3;H335 May cause respiratory irritation.

#### Label elements





## Warning

H226 Flammable liquid and vapor.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

## [Prevention]

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P235 Keep cool.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, eye protection, and face protection.

## [Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.



Revision Date: 05/30/2025

P337+313 If eye irritation persists: Get medical advice or attention. P362+364 Take off contaminated clothing and wash it before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

## [Storage]

P403+233 Store in a well ventilated place. Keep container tightly closed.

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

## [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

#### Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.

## Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Butyl methacrylate	100	Flammable Liquid, category 3;H226	
CAS Number: 97-88-1		Serious eye damage / eye irritation, category	No data
Synonyms: 2-metyl butacrylat, 2-Propenoic acid, 2-		2;H319	available
methyl-, butyl ester		Specific target organ toxicity, Single exposure	avaitable
		category 3;H335	
		Skin corrosion/irritation category 2;H315	
		Skin sensitizer category 1;H317	

The actual concentration or concentration range is withheld as a trade secret.

The full texts of the phrases are shown in Section 16.

<sup>\*</sup>PBT/vPvB - PBT, vPvM or vPvB-substance.



**Revision Date: 05/30/2025** 

#### Section 4. First aid measures

## **Description of first aid measures**

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

**Eyes** Rinse with plenty of clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or

use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

#### Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat

symptomatically. See section 2 for further details.

Inhalation May cause respiratory irritation.

**Eyes** Causes serious eye irritation.

**Skin** May cause an allergic skin reaction. Causes skin irritation.

## Section 5. Fire-fighting measures

#### Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.



Revision Date: 05/30/2025

## Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Keep cool.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Avoid breathing dust, fume, gas, mist, vapors, spray.

## Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. 130P

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

## **Environmental precautions**

Do not allow spills to enter drains or waterways.

## Methods and material for containment and cleaning up



**Revision Date: 05/30/2025** 

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## Section 7. Handling and storage

## **Precautions for safe handling**

Handle containers carefully to prevent damage and spillage. See section 2 for further details. - [Prevention]

## Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information See section 2 for further details. - [Storage]

## Specific end use(s)

No available information

#### Section 8. Exposure controls / personal protection

## **Control parameters**

## **Exposure Limits**

CAS No.	Ingredient	Source	Value
97-88-1	Butyl methacrylate	OSHA	No Established Limit
		ACGIH	TWA: 50 ppm
		NIOSH	No Established Limit

**Exposure** controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they must

use the appropriate, certified respirators.

**Eyes** Wear safety glasses with side shields to protect the eyes. An eye wash

station is suggested as a good workplace practice.



**Revision Date: 05/30/2025** 

**Skin** Avoid skin contact. Wear PVC or rubber gloves to keep skin contact to a

minimum. Refer to the manufacturer's recommendations regarding the

suitability of any gloves used.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection

must be worn.

Other Work

Use good personal hygiene practices. Wash hands before eating, drinking,

**Practices** 

smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details.

## Section 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical State Liquid

ColorClear, ColorlessOdorCharacteristic odor

Melting point / freezing point -50°C Initial boiling point and boiling range 163°C

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: 1%

Upper Explosive Limit: 8%

Flash Point 50°C (Closed Cup)

Auto-ignition temperature 290°C

Decomposition temperatureNo available informationpHNo available information

Viscosity (cSt) 1.02 mm2/s (24°C)

**Solubility in Water** 0.08 g/100 ml (water, 25°C) **Partition coefficient n-octanol/water (Log Kow)**No available information

Vapor pressure (Pa)0.3 kPa (20°C)Relative Density1.01 (water=1)Vapor Density4.9 (air=1)



**Revision Date: 05/30/2025** 

Evaporation rate (Ether = 1)
Oxidising properties
Explosive properties
Solubility
n-OCTANOL/WATER PARTITION COEFFICIENT

No available information No available information No available information 0.08 g/100 ml (water, 25°C) 2.26-3.01

#### Other information

No other relevant information.

## Section 10. Stability and reactivity

#### Reactivity

Hazardous Polymerization will not occur.

## **Chemical stability**

Stable under normal circumstances.

## Possibility of hazardous reactions

No available information

#### **Conditions to avoid**

Avoid high temperatures and contact with incompatible material

## **Incompatible materials**

No available information

## **Hazardous decomposition products**

No hazardous decomposition data available.

## Section 11. Toxicological information

#### **Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Butyl methacrylate - (97- 88-1)					



Revision	Date: 05	/30/2025
----------	----------	----------

Ingredient	Oral LD50,	Skin LD50,	Inhalation	Inhalation	Inhalation
	mg/kg	mg/kg	Vapor LC50,	Dust/Mist LC50,	Gas LC50,
			mg/L/4hr	mg/L/4hr	ppm
	16,000.00, Rat - Category:	10,125.00, Rabbit - Category:	No data	No data	No data
	NA	NA	available.	available.	available.
1					

## **Carcinogen Data**

CAS No.	Ingredient	Source	Value
97-88-1	Butyl methacrylate	OSHA	Regulated Carcinogen: No;
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2A	Causes serious eye irritation.
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-single exposure	3	May cause respiratory irritation.
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

## **Possible routes of entry:** No available information

## Symptoms and effects, both acute and delayed:

No specific symptom data available.

No chronic toxicity or long term toxicity information available. Treat symptomatically.

**Eyes** Causes serious eye irritation.

**Skin** May cause an allergic skin reaction. Causes skin irritation.



**Revision Date: 05/30/2025** 

## Section 12. Ecological information

## **Toxicity**

No additional information provided for this product. See Section 3 for chemical specific data.

## **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/L	mg/L	mg/L
Butyl methacrylate - (97-88-1)	11.00, Pimephales promelas	32.00, Daphnia magna	57.00, Pseudokirchneriella subcapitata

## Persistence and degradability

There is no data available on the preparation itself.

## **Bioaccumulative potential**

No available information

## Mobility in soil

No available information

#### Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

#### Other adverse effects

No available information

## Section 13. Disposal considerations

#### **Waste treatment methods**

Observe all federal, provincial and local regulations when disposing of this substance.



**Revision Date: 05/30/2025** 

Ш

## **Section 14. Transport information**

	DOT (Domestic Surface	IMO / IMDG (Ocean	ICAO/IATA
	Transportation)	Transportation)	
<b>UN</b> number	UN2227	UN2227	UN2227
UN proper	UN2227,n-Butyl	n-Butyl methacrylate,	n-Butyl
shipping name	methacrylate, stabilized,3,III	stabilized	methacrylate, stabilized
Transport	Class:3	Class:3	Class:3
hazard class(es)	Sub Class:Not Applicable	<b>Sub Class:</b> Not Applicable	<b>Sub Class:</b> Not Applicable

Ш

#### **Environmental hazards**

Packing group III

IMDG Marine Pollutant: No; **Special precautions for user** 

No available information

## **Section 15. Regulatory information**

**Regulatory** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

## **Toxic Substance Control Act (TSCA)**

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0000097-88-1	Butyl methacrylate	Yes		ACTIVE

The following flags are used:

•Active - indicates commercial status designation of active



•E - indicates a substance that is the subject of a Section 5(e) Consent Order under TSCA.

Revision Date: 05/30/2025

- •F indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- •N indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- •P indicates a commenced Premanufacture Notice (PMN) substance.
- •R indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- •S indicates a substance that is identified in a final Significant New Uses Rule.
- •SP indicates a substance that is identified in a proposed Significant New Uses Rule.
- •T indicates a substance that is the subject of a final Section 4 test rule under TSCA.
- •UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials •XU indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
- •Y1 indicates a polymer that has a number-average molecular weight greater than 1,000 and that was exempt under the 1984 polymer exemption rule.
- •Y2 indicates a polymer that is a polyester and that was exempt under the 1984 polymer exemption rule.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



Revision Date: 05/30/2025

## **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

## Mass RTK Substances (>1%):

Butyl methacrylate

#### **New Jersey RTK Substances (>1%):**

Butyl methacrylate

## Pennsylvania RTK Substances (>1%):

Butyl methacrylate

# OSHA Process Safety Management Standard Highly Hazardous Chemicals, Toxics and Reactives:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **US EPA List of Regulated Substances under the Risk Management Plan (RMP) Program:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# US EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) under the Minimum Risk Exemption:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **U.S. - DEA List II or Essential Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



## U.S. - DEA - Exempt Chemical Mixtures - List 1 and 2:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **US DHS Chemical Facility Anti-Terrorism Standards (CFATS):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Section 16. Other information**

**Revision Date** 

05/30/2025

Revision Date: 05/30/2025

#### **DISCLAIMER OF RESPONSIBILITY**

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.



**Revision Date: 05/30/2025** 

The full text of the phrases appearing in section 3 is:

H226 Flammable liquid and vapor.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**End of Document**