SILVER FERN CHEMICAL, INC.

Safety Data Sheet

Glycol Ether DPM

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: Glycol Ether DPM

Synonym(s): Dipropylene glycol monomethyl ether; Dipropylene glycol methyl ether; Methoxypropoxypropanol; (2-methoxymethylethoxy)

propanol; 2-(2-methoxypropoxy)propanol

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Industrial and laboratory applications

Uses advised against: None known

1.3 Details of the supplier and of the safety data sheet

Manufacturer/Distributor

Silver Fern Chemical, Inc.

121 W. De La Guerra Street, Suite B Santa Barbara, CA 93101 USA

Phone: 1-866-282-3384

Website - www.silverfernchemical.com; Email - info@silverfernchemical.com

1.4 Emergency telephone number

Infotrac +1-800-535-5053; (USA & Canada) Outside USA & Canada +1-352-323-3500

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Product definition: Mixture

Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation EC No. 1272/2008

Flammable Liquid - Category 4 [H227]

2.2 Label elements

Hazard symbol(s): None required Signal word: Warning

Hazard statement(s): H227 - Combustible liquid

Precautionary statements:

[Prevention] P210 - Keep away from heat, open flames and hot surface. No smoking.

P280 - Wear protective gloves, protective clothing and eye protection.

[Response] P370 + P378 - In case of fire: Use water fog, foam, dry chemical or carbon dioxide for extinction.

[Storage] P403 + P235 - Store in a well-ventilated place. Keep cool.

[Disposal] P501 - Dispose of contents and containers in accordance with national and local regulations.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None known

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
> 99	Dipropylene glycol methyl ether	34590-94-8	252-104-2		H227

There are no additional ingredients present in this product which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

3.2 Mixtures

Not applicable

SECTION 4 - FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. If unconscious, maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Seek immediate medical attention.

Eyes: Immediately flush eyes with large amounts of water or saline solution for at least 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses if present and easy to do after first 2 minutes and continue rinsing. Seek immediate medical attention, preferably from an ophthalmologist.

Safety Data Sheet

Glycol Ether DPM

Effective Date: 09 September 2021 **Supersedes:** 09 February 2021

Page 1 of 7

Skin: Rinse skin with water while removing contaminated clothing. Wash the affected area with soap and water followed by thorough rinsing. Wash contaminated clothing and shoes before reuse. If irritation persists, seek immediate medical attention.

Ingestion: Rinse mouth with water if the victim is conscious. Remove dentures if present. DO NOT induce vomiting unless directed to do so by medical personnel. Vomiting may occur spontaneously. To prevent aspiration of vomitous into the lungs, lay the victim on one side with the head lower than the waist. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Seek medical attention if the victim feels unwell or if a large quantity of material has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

Potential health symptoms and effects

Eyes: May cause mild, transient eye irritation with redness and discomfort.

Skin: Prolonged and repeated contact with unprotected skin may cause skin irritation with localized redness, itching and discomfort. Skin absorption of very large amounts of this substance may cause drowsiness or dizziness.

Inhalation: Inhalation of mist or vapor may cause irritation of the upper respiratory tract. Symptoms may include headache, cough and difficulty breathing. Prolonged exposure may cause central nervous system depression characterized by anesthetic or narcotic effects, dizziness and drowsiness.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting, abdominal pain and diarrhea.

Chronic: Individuals with pre-existing skin conditions and respiratory disorders may be more susceptible to the effects of this product. Prolonged or repeated skin contact may cause drying and cracking of the skin, dermatitis or aggravate existing skin conditions.

4.3 Indication of any immediate medical attention and special treatment needed

Advice to doctor and hospital personnel

Treat symptomatically and supportively.

SECTION 5 – FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable methods of extinction: Use extinguishing media such as dry chemical, carbon dioxide, alcohol-resistant foam, water spray or water fog. **Unsuitable methods of extinction:** Water jets or streams can spread the fire.

5.2 Special hazards arising from the substance or mixture

Combustible liquid! Closed containers may rupture due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

Explosion hazards: Avoid high temperatures, hot surfaces and sources of ignition.

5.3 Advice to firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. Water contaminated by this material must be contained from being discharged to any waterway, sewer or drain to prevent environmental contamination.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2. Ventilate the area. Remove all sources of ignition. NO SMOKING. Clean up spills immediately. Spill creates a slip hazard.

6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways.

6.3 Methods and materials for containment and cleaning up

Approach spill from upwind direction. Cover drains and contain spill. DO NOT flush spills down the drain. Cover spill with a large quantity of inert absorbent. Do use combustible material such as sawdust. Collect material using non-sparking tools and place in an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Clean contaminated area with soap and water. Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Dispose of material via a licensed waste disposal contractor.

6.4 Reference to other sections

For indications about waste treatment, see Section 13.

SECTION 7 – STORAGE AND HANDLING

7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. NO SMOKING. Do not breathe vapor or mist. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator. Wash contaminated clothing and shoes thoroughly after use.

Advice on protection against fire and explosion

Avoid exposure to high temperatures, sources of ignition and hot surfaces.

Effective Date: 09 September 2021

Supersedes: 09 February 2021

Safety Data Sheet

Glycol Ether DPM



7.2 Conditions for safe storage, including any incompatibilities

Store in dry, cool, well-ventilated areas away from incompatible materials (see Section 10.5), food and drink. Keep away from heat and ignition sources. Transfer only to approved containers having correct labeling. Keep container tightly closed when not in use. Protect containers from physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers of this material are hazardous when empty as they contain product residues. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Keep out of reach of children.

7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values

CAS Number	Ingredient	OSHA PEL	ACGIH TLV	NIOSH
34590-94-8	Dipropylene glycol methyl	100 ppm; 600 mg/m ³ TWA	200 ppm TWA; Skin	100 ppm; 600 mg/m ³ TWA; Skin
	ether	Skin	150 ppm STEL	150 ppm; 900 mg/m ³ STEL
				600 ppm IDLH

A "skin" notation following the inhalation exposure guideline refers to the potential for dermal absorption of the material, including eyes and mucous membranes, either by direct contact with vapors or by direct skin contact. It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimize dermal exposure should be considered.

8.2 Exposure controls

Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

Hygiene measures: Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking or using the lavatory.

Eye/face protection: Wear protective splash goggles or safety glasses with unperforated side shields during use. A face shield is recommended if splashing is anticipated during use.

Hand protection: Wear gloves made of butyl rubber or those recommenced by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

Skin protection: Wear protective clothing, if needed. Wear protective boots if the situation requires.

Respiratory protection: Always use an approved respirator when vapor/aerosols exceed permissible exposure limits. Where risk assessment shows air-purifying respirators are appropriate use a half-mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Environmental exposure controls: Do not empty into drains.

PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean fit and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to ensure adequate protection







SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Clear, colorless liquid Odor Mild . characteristic **Odor Threshold** No data available Molecular Weight 148.2 g/mol **Chemical Formula** $C_7H_{16}O_3$ рΗ Not applicable Freezing/Melting Point - 83 °C (- 117 °F) **Initial Boiling Point** 189 °C (374 °F) **Evaporation Rate** No data available

Effective Date: 09 September 2021 **Supersedes:** 09 February 2021



Flammability (solid, gas) Not applicable

Flash Point $74^{\circ}\text{C} (165^{\circ}\text{F})$, closed cup Autoignition Temperature $207^{\circ}\text{C} (405^{\circ}\text{F})$ [literature]

Decomposition Temperature No data available

Lower Explosive Limit (LEL) 1.1% (v) Upper Explosive Limit (UEL) 14% (v)

 Vapor Pressure
 0.4 mm Hg @ 25 °C

 Vapor Density
 5.1 [Air =1]

 Specific Gravity
 0.951 @ 25 °C

Viscosity 3.70 mPa·s @ 25 °C [literature]

Solubility in Water Miscible

 $\begin{tabular}{lll} \mbox{Partition Coefficient (n-octanol/water)} & \mbox{log $P_{ow} = 0.06 @ 20 °C$} \\ \mbox{Oxidizing Properties} & \mbox{Not applicable} \\ \mbox{Explosive Properties} & \mbox{Not applicable} \\ \end{tabular}$

Volatiles by Weight @ 21 °C 100%

9.2 Other Data

None known

SECTION 10 – STABILITY AND REACTIVITY

10.1 Reactivity

This material is stable under normal handling conditions and use.

10.2 Chemical Stability

This material is stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

Avoid temperature extremes, hot surfaces, contact with incompatible materials. Do not distill to dryness. This product can oxidize at elevated temperatures.

10.5 Incompatible materials

Strong acids, strong bases, strong oxidizers

10.6 Hazardous decomposition products

Thermal decomposition products include oxides of carbon and can include aldehydes, ketones and organic acids.

SECTION 11 – TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity

 LD_{50} , rat: > 5,000 mg/kg

Acute inhalation toxicity

LC₅₀, rat: > 3.35 mg/l -4 h No deaths occurred at this concentration.

Acute dermal toxicity

LD₅₀, rabbit: > 9,510 mg/kg

Skin irritation

May cause skin irritation.

Eye irritation

May cause eye irritation.

Sensitization

No data available

Genotoxicity

No data available

Mutagenicity

No data available

Specific organ toxicity - single exposure

May cause respiratory irritation, drowsiness or dizziness.

Specific organ toxicity - repeated exposure

No data available

Aspiration hazard

Supersedes: 09 February 2021

Effective Date: 09 September 2021

No data available

Safety Data Sheet Glycol Ether DPM



11.2 Further information

This product contains no substances present at levels greater than or equal to the 0.1% threshold (de minimis) that are identified as a probable, possible, potential or confirmed carcinogens by ACGIH, IARC, NTP or OSHA. No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates that it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity

This material is relatively non-toxic to aquatic organisms on an acute basis.

Acute toxicity to fish: LC₅₀ - Poecilia reticulata (Guppy), static test, 96 h: 1,000 mg/l

Toxicity to aquatic invertebrates: LC₅₀ - Daphnia magna (Water flea), 48 h: 1,919 mg/l

Toxicity to aquatic plants: ErC₅₀ - Pseudokirchneriella subcapitata (green algae), 96 h: > 969 mg/l

Toxicity to microorganisms: EC₁₀ - Pseudomonas putida (bacteria), 18 h: 4,168 mg/l

12.2 Persistence and degradability

This product is readily biodegradable.

12.3 Bioaccumulation potential

This bioaccumulation potential for this material is low.

12.4 Mobility in soil

Potential for mobility in soil is high.

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other effects

Additional ecological information

Do not allow material to run into surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Methods of disposal: The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

RCRA F-Series: No listings above the reportable threshold (de minimis) RCRA U-Series: No listings above the reportable threshold (de minimis)

SECTION 14 – TRANSPORTATION INFORMATION

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

A flammable liquid with a flash point at or above 38 °C (100 °F) that does not meet the definition of any other hazard class may be reclassified as a combustible liquid. This provision does not apply to transportation by vessel or aircraft, except where other means of transportation are impracticable.

May be reclassified as not regulated for transport in non-bulk packages having a maximum capacity less than or equal to 450 liters (119 gallons).

USA DOT (Ground Transportation) - Bulk

Proper Shipping Name Combustible liquid, n.o.s. (Dipropylene glycol methyl ether isomers)

Hazard Class Comb liq
UN/NA NA1993
Packing Group III
NEAREG Guide #128

Packaging Authorization Non-Bulk: 49 CFR 173.203; Bulk: 173.241

Packaging Exceptions 49 CFR 173.150

IMO/IMDG (Water Transportation)

Not regulated for transport (Consult IMO regulations before transporting ocean bulk.)

ICAO/IATA (Air Transportation)

RID/ADR (Rail Transportation)

Not regulated for transport
Not regulated for transport



Drum Label(s)

Safety Data Sheet Glycol Ether DPM

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

U. S. Federal Regulations

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200.

OSHA Process Safety Management Standard: This product is not regulated under OSHA PSM Standard 29 CFR 1910.119.

EPA Risk Management Planning Standard: This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

EPA Federal Insecticide, Fungicide and Rodenticide Act: This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150.

Toxic Substance Control Act (TSCA) Inventory: All substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number Not listed

Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number: Not listed

Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals: Not listed

Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories: Combustible liquid

SARA 313 Information: None of the components of this product are subject to reporting requirements of Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

SARA 302/304 Extremely Hazardous Substance: None of the components of this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

SARA 302/304 Emergency Planning & Notification: None of the components of this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): No components of the product exceed the threshold (de minimis) reporting levels for hazardous wastes established by CERCLA.

Clean Air Act (CAA)

This product does not contain any Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain Class 1 ozone depletors.

This product does not contain Class 2 ozone depletors.

Clean Water Act (CWA)

This product does not contain any Hazardous Substances listed under the CWA.

This product does not contain any Priority Pollutants.

This product does not contain any Toxic pollutants.

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

This product contains no chemical(s) known to the state of California to cause cancer birth defects or reproductive harm in concentrations that exceed the threshold (de minimis) reporting levels established under Proposition 65.

Other U.S. State Inventories

None of the components of this material are listed on any State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists.

Canada

WHMIS Hazard Classification

Combustible liquid

Canadian National Pollutant Release Inventory (NPRI): None of the components of this product are listed on the NPRI.

European Economic Community

WGK, Germany (Water danger/protection): 1 (slightly hazardous to water)

Global Chemical Inventory Lists

Country	ntry Inventory Name	
anada Domestic Substance List (DSL)		Yes
Canada	nada Non-Domestic Substance List (NDSL)	
Europe	pe Inventory of New and Existing Chemicals (EINECS)	
United States	Toxic Substance Control Act (TSCA)	Yes
Australia	stralia Australian Inventory of Chemical Substances (AICS)	
New Zealand	Zealand New Zealand Inventory of Chemicals (NZIoC)	
China	Inventory of Existing Chemical Substances in China (IECSC)	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	
Korea	Existing Chemicals List (KECI)	
Philippines	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Effective Date: 09 September 2021 **Supersedes:** 09 February 2021



*Yes - All components of this product comply with the inventory requirements administered by the governing country. No - One or more components of this product are not on the inventory or are exempt from listing.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

American Conference of Governmental Industrial Hygienists

SECTION 16 - OTHER INFORMATION

Hazardous Material Information System (HMIS)

HEALTH 1 FLAMMABILITY 2 PHYSICAL HAZARD 0 PERSONAL PROTECTION C

C = safety glasses & gloves & apron

HMIS Hazard Rating Legend

0 = Minimal 1 = Slight 2 = Moderate

3 = Serious 4 = Severe

* = Chronic Health Hazard

NFPA Hazard Rating Legend


0 = Insignificant 1 = Slight 2 = Moderate

LDia

Lowest Lethal Dose

3 = High 4 = Extreme

National Fire Protection Association (NFPA)



Abbreviation Key

ACGIH

ACGIII	American conference of Governmental industrial riggienists	LDLo	Lowest Lethal Dose
ADR	Accord Dangereux Routier (European regulations concerning	mppcf	Millions of Particles Per Cubic Foot
	the international transport of dangerous goods by road)		
CAS	Chemical Abstract Services	NA	North America
CFR	Code of Federal Regulations	NAERG	North American Emergency Response Guide Book
COC	Cleveland Open Cup	NIOSH	National Institute for Occupational Safety & Health
DOT	Department of Transportation	NTP	National Toxicology Program
EC_{50}	Half maximal effective concentration	OSHA	Occupational Safety and Health Administration
EMS	Emergency Response Procedures for Ships Carrying	PBT	Persistent, Bioaccumulating and Toxic
EPA	Environmental Protection Agency	PEL	Permissible exposure limit
ErC ₅₀	Reduction of Growth Rate	PMCC	Pensky-Martens Closed Cup
ERG	Emergency Response Guide Book	ppm	Parts Per Million
FDA	Food and Drug Administration	RCRA	Resource Conservation and Recovery Act
GHS	Globally Harmonized System of Classification and Labelling of	RID	Dangerous Goods by Rail
	Chemicals (GHS)		
HCS	Hazard Communication Standard	RQ	Reportable Quantity
IARC	International Agency for Research on Cancer	TCC/Tag	Tagliabue Closed Cup
IATA	International Air Transport Association	TLV	Threshold Limit Value
IC ₅₀	Half Maximal Inhibitory Concentration	TSCA	Toxic Substance Control Act
ICAO	International Civil Aviation Organization	TWA	Time-weighted Average
IDLH	Immediately Dangerous to Life and Health	UN	United Nations
IMDG	International Maritime Dangerous Goods	VOC	Volatile Organic Compounds
IMO	International Maritime Organization	vPvB	Very Persistent and Very Bioaccumulating
LC ₅₀	50% Lethal Concentration	WHMIS	Workplace Hazardous Materials Information System
LD_{50}	50% Lethal Dose		

DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

Revision date: 09 September 2021, Version 6

<end of document>



Effective Date: 09 September 2021 Supersedes: 09 February 2021

Safety Data Sheet Glycol Ether DPM