

Revision Date: 05/30/2025

Section 1. Identification

Product identifier

Product IdentityMethyl Propyl KetoneOther means of identificationMethyl Propyl Ketone

Relevant identified uses of the substance or mixture and uses advised against

Solvent

Details of the supplier of the safety data sheet

Company Name Silver Fern Chemical, Inc.

121 W. De La Guerra Street, Suite B Santa Barbara, CA 93101 USA Customer Service: 1-866-282-3384 /

info@silverfernchemical.com

Website - www.silverfernchemical.com

Emergency

24 hour Emergency Emergency telephone number

Telephone No. Infotrac: 1-800-535-5053; Outside USA & Canada +1-352-

323-3500

Customer Service:

Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Flammable Liquid, category 2;H225 Acute toxicity(oral), category 4;H302

Serious eye damage / eye irritation, category

2A;H319

Highly Flammable liquid and vapor.

Harmful if swallowed.

Causes serious eye irritation.



Revision Date: 05/30/2025

Suspected of causing cancer.

Carcinogen, category 2;H351

Label elements







Danger

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H319 Causes serious eve irritation.

H351 Suspected of causing cancer.

[Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P235 Keep cool.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, eye protection, and face protection.

[Response]

P301+312 IF SWALLOWED: Call a POISON CENTER, doctor or physician if you feel unwell.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P330 Rinse mouth.

P337+313 If eye irritation persists: Get medical advice or attention.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.



Revision Date: 05/30/2025

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

| Ingredient/Chemical Designations | Weight % | GHS Classification | Notes |
|---|----------|--|----------------------|
| Methyl Propyl Ketone CAS Number: 107-87-9 Synonyms: Methylpropyl ketone, Pentan-2-one | | Flammable Liquid, category 2;H225 Serious eye damage / eye irritation, category 2;H319 Acute toxicity(oral), category 4;H302 | No data available |
| Methyl Isobutyl Ketone 7 CAS Number: 108-10-1 Synonyms: Pentanone, 4-methyl-, 4-methylpentan-2-one, 4-Methyl-2-pentanon | | Flammable Liquid, category 2;H225 Acute toxicity(inhalation), category 4;H332 Serious eye damage / eye irritation, category 2;H319 Carcinogen, category 2;H351 Specific target organ toxicity, Single exposure category 3;H336 | No data available |

The actual concentration or concentration range is withheld as a trade secret.

Section 4. First aid measures

Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

^{*}PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.



Revision Date: 05/30/2025

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

Eyes Rinse with plenty of clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or

use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce

vomiting.

Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.

Treat symptomatically. See section 2 for further details.

Eyes Causes serious eye irritation.

Ingestion Harmful if swallowed.

Section 5. Fire-fighting measures

Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking. Keep container tightly closed.

Keep cool.

Ground, bond container and receiving equipment.



Revision Date: 05/30/2025

Use explosion-proof electrical, ventilating, light, equipment. Use only non-sparking tools.

Take action to prevent static discharges.

Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. 127

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Environmental precautions

Do not allow spills to enter drains or waterways.

Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.



Revision Date: 05/30/2025

Section 7. Handling and storage

Precautions for safe handling

Handle containers carefully to prevent damage and spillage. See section 2 for further details. - [Prevention]

Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information See section 2 for further details. - [Storage]

Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

Control parameters

Exposure Limits

| CAS No. | Ingredient | Source | Value | |
|----------|------------------------|--------|---|--|
| 107-87-9 | Methyl Propyl Ketone | OSHA | 200 ppm, 700 mg/m ³ | |
| | | ACGIH | 150 ppm | |
| | | NIOSH | TWA 150 ppm (530 mg/m³) | |
| 108-10-1 | Methyl Isobutyl Ketone | OSHA | 100 ppm, 410 mg/m ³ | |
| | | ACGIH | 20 ppm 75 ppm | |
| | | NIOSH | TWA 50 ppm (205 mg/m ³) STEL: 75 ppm (300 mg/m ³) | |

Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must

use the appropriate, certified respirators.

Eyes Wear safety glasses with side shields to protect the eyes. An eye wash

station is suggested as a good workplace practice.

Skin Avoid skin contact. Protective gloves recommended.



Revision Date: 05/30/2025

Controls

Engineering Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection

must be worn.

Other Work **Practices**

Use good personal hygiene practices. Wash hands before eating, drinking,

smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State Liquid Color Colorless Odor ketone odor Melting point / freezing point -78 °C, -108,4°F Initial boiling point and boiling range 101 °C, 213.8°F Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits **Lower Explosive Limit:** 1.56 %(V) **Upper Explosive Limit:** 8.7 %(V)

Flash Point 7.8 °C, 46.04°F (Tag closed cup)

Auto-ignition temperature 450 °C, 842°F

Decomposition temperature (DTA) No exotherm to boiling No available information pН

Viscosity (cSt) 0.607 mPa.s (20 °C)

Solubility in Water Moderately soluble in water

Partition coefficient n-octanol/water (Log Kow) Log Pow

Vapor pressure (Pa) 37 mbar (20 °C) **Relative Density** 0.81 (20 °C)

Vapor Density 2.9

Evaporation rate (Ether = 1) 2.3

No available information Oxidising properties **Explosive properties** No available information



Revision Date: 05/30/2025

Other information

No other relevant information.

Section 10. Stability and reactivity

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Stable under normal circumstances.

Possibility of hazardous reactions

No available information

Conditions to avoid

Avoid high temperatures and contact with incompatible material

Incompatible materials

No available information

Hazardous decomposition products

No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|------------------------------|---------------------|------------------------------|---------------------------------------|--|--------------------------------|
| Methyl Propyl Ketone - (107- | 1,600.00, Rat - | 6,500.00, Rabbit - Category: | No data available. | No data | No data |
| 87-9) | Category: 4 | NA | | available. | available. |
| Methyl Isobutyl Ketone - | 2,080.00, Rat - | 16,000.00, Rabbit - | 11.00, Rat - | No data | No data |
| (108-10-1) | Category: 5 | Category: NA | Category: 4 | available. | available. |



Revision Date: 05/30/2025

| Ingredient | Oral LD50, mg/kg | Skin LD50, mg/kg | Inhalation Vapor LC50, mg/L/4hr | Inhalation Dust/Mist LC50, mg/L/4hr | Inhalation Gas LC50, ppm |
|------------|---------------------|---------------------|---------------------------------------|--|--------------------------------|
| | | | | | |

Carcinogen Data

| CAS No. | Ingredient | Source | Value |
|----------|------------------------|--------|--|
| 107-87-9 | Methyl Propyl Ketone | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; |
| | | ACGIH | No Established Limit |
| 108-10-1 | Methyl Isobutyl Ketone | OSHA | Regulated Carcinogen: No; |
| | | NTP | Known: No; Suspected: No; |
| | | IARC | Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; |
| | | ACGIH | A3 |

| Classification | Category | Hazard Description |
|-------------------------------|----------|--------------------------------|
| Acute toxicity (oral) | 4 | Harmful if swallowed. |
| Acute toxicity (dermal) | | Not Applicable |
| Acute toxicity (inhalation) | | Not Applicable |
| Skin corrosion/irritation | | Not Applicable |
| Serious eye damage/irritation | 2A | Causes serious eye irritation. |
| Respiratory sensitization | | Not Applicable |
| Skin sensitization | | Not Applicable |
| Germ cell mutagenicity | | Not Applicable |
| Carcinogenicity | 2 | Suspected of causing cancer. |
| Reproductive toxicity | | Not Applicable |
| STOT-single exposure | | Not Applicable |
| STOT-repeated exposure | | Not Applicable |
| Aspiration hazard | | Not Applicable |

Possible routes of entry: No available information

Symptoms and effects, both acute and delayed:

No specific symptom data available.

Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.

Treat symptomatically.

Eyes

Causes serious eye irritation.



Revision Date: 05/30/2025

Ingestion Harmful if swallowed.

Section 12. Ecological information

Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

| Ingredient | 96 hr LC50 fish, mg/L | 48 hr EC50 crustacea, mg/L | ErC50 algae, mg/L |
|-------------------------------------|-------------------------------|-------------------------------|---------------------------------|
| Methyl Propyl Ketone - (107-87-9) | 1,240.00, Pimephales promelas | No data available. | No data available. |
| Methyl Isobutyl Ketone - (108-10-1) | 505.00, Pimephales promelas | 201.00, Daphnia magna | 980.00, Scenedesmus subspicatus |

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

No available information

Mobility in soil

No available information

Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

Other adverse effects

No available information

Section 13. Disposal considerations

Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.



Revision Date: 05/30/2025

Section 14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA **Transportation**) **Transportation**) **UN** number UN1224 UN1224 UN1224 **UN** proper UN1224, Ketones, liquid, Ketones, liquid, n.o.s. Ketones, liquid, shipping n.o.s. (Methyl Propyl (Methyl Propyl Ketone) n.o.s. (Methyl Propyl name Ketone),3,III Ketone) **Transport** Class:3 Class:3 Class:3 hazard Sub Class: Not Applicable Sub Class:Not Sub Class: Not class(es) Applicable Applicable Packing group || Ш Ш

Environmental hazards

IMDG Marine Pollutant: No; **Special precautions for user**

No available information

Section 15. Regulatory information

Regulatory The regulatory data in Section 15 is not intended to be all-inclusive, only **Overview** selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Toxic Substance Control Act (TSCA)

| CAS Number | Ingredient | Toxic Substance Control Act (TSCA) | Comments | Status |
|--------------|------------------------|------------------------------------|----------|--------|
| 0000108-10-1 | Methyl Isobutyl Ketone | Yes | | ACTIVE |
| 0000107-87-9 | Methyl Propyl Ketone | Yes | | ACTIVE |



Safety Data Sheet

Revision Date: 05/30/2025

The following flags are used:

- •Active indicates commercial status designation of active
- •E indicates a substance that is the subject of a Section 5(e) Consent Order under TSCA.
- •F indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- •N indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- •P indicates a commenced Premanufacture Notice (PMN) substance.
- •R indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- •S indicates a substance that is identified in a final Significant New Uses Rule.
- •SP indicates a substance that is identified in a proposed Significant New Uses Rule.
- •T indicates a substance that is the subject of a final Section 4 test rule under TSCA.
- •UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials •XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
- •Y1 indicates a polymer that has a number-average molecular weight greater than 1,000 and that was exempt under the 1984 polymer exemption rule.
- •Y2 indicates a polymer that is a polyester and that was exempt under the 1984 polymer exemption rule.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Methyl Isobutyl Ketone

Proposition 65 - Carcinogens (>0.0%):

Methyl Isobutyl Ketone

Proposition 65 - Developmental Toxins (>0.0%):

Methyl Isobutyl Ketone



Revision Date: 05/30/2025

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Methyl Isobutyl Ketone], which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Mass RTK Substances (>1%):

Methyl Isobutyl Ketone

Methyl Propyl Ketone

New Jersey RTK Substances (>1%):

Methyl Isobutyl Ketone

Methyl Propyl Ketone

Pennsylvania RTK Substances (>1%):

Methyl Isobutyl Ketone

Methyl Propyl Ketone

OSHA Process Safety Management Standard Highly Hazardous Chemicals, Toxics and Reactives:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

US EPA List of Regulated Substances under the Risk Management Plan (RMP) Program:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



US EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) under the Minimum Risk Exemption:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

U.S. - DEA List II or Essential Chemicals:

Methyl Isobutyl Ketone

U.S. - DEA - Exempt Chemical Mixtures - List 1 and 2:

Methyl Isobutyl Ketone

US DHS Chemical Facility Anti-Terrorism Standards (CFATS):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 311/312 Chemicals and RQs (lbs):

Methyl Isobutyl Ketone (5,000.00)

Section 16. Other information

Revision Date

05/30/2025

Revision Date: 05/30/2025

DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.



Revision Date: 05/30/2025

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness and dizziness.

H351 Suspected of causing cancer.

End of Document