

**Revision Date: 07/22/2024** 

#### **Section 1. Identification**

#### **Product identifier**

Product Identity Polyethylene Glycol 8000

Other means of identification Polyethylene Glycol 8000 Granular/Powder

#### Relevant identified uses of the substance or mixture and uses advised against

Industrial Grade uses only., a partial list of applications automotive products, household products, packaging products, petroleum chemicals, plastics, inks, coatings, adhesives, chemical intermediates, rubber processing, lubricants, metalworking fluids, mold release agents, ceramics, and wood treating.

#### Details of the supplier of the safety data sheet

**Company Name** Silver Fern Chemical, Inc.

2226 Queen Anne Avenue North

Seattle, WA 98109 USA

Customer Service: 1-866-282-3384 /

info@silverfernchemical.com

Website - www.silverfernchemical.com

**Emergency** 

**24 hour Emergency Telephone No.** Emergency telephone number

Infotrac: 1-800-535-5053;

Outside USA & Canada +1-352-323-3500

#### Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200. Combustible dust



Revision Date: 07/22/2024

#### Label elements



#### WARNING!

The substance is not classified according to the OSHA Hazcom or WHMIS regulations.

#### [Prevention]

No GHS prevention statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Take precautionary measures against static discharge.

## [Response]

No GHS response statements

## [Storage]

Store in original container. Use product promptly after opening. Avoid prolonged exposure to heat and air. Store in the following material(s): Stainless steel. Polypropylene. Polyethylene-lined container. Teflon. Glass-lined container. Plasite 3066 lined container. Plasite 3070 lined container. 316 stainless steel.

#### [Disposal]

Contain spilled material if possible. Collect in suitable and properly labeled containers. See Section 13, Disposal Considerations, for additional information.

#### Other hazards

This product may form combustible dust concentrations in the air

This product contains no PBT/vPvB chemicals.

This product contains no endocrine disrupting chemicals.

# Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).



R FERN			
Ingredient/Chemical Designations	Weight	GHS	Notes
	%	Classification	
thylono alycol	>00.00/	Not Classified	

**Revision Date: 07/22/2024** 

Polyethylene glycol
CAS Number: 25322-68-3
Synonyms: Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated

Not Classified
No data available

The actual concentration or concentration range is withheld as a trade secret.

The full texts of the phrases are shown in Section 16.

#### Section 4. First aid measures

## **Description of first aid measures**

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

**Eyes** Rinse with plenty of clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water

or use a recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT

induce vomiting.

#### Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

Treat symptomatically. See section 2 for further details.

### Section 5. Fire-fighting measures

#### **Extinguishing media**

<sup>\*</sup>PBT/vPvB - PBT-substance or vPvB-substance.



**Revision Date: 07/22/2024** 

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

#### Special hazards arising from the substance or mixture

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon monoxide. Carbon dioxide.

#### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full-face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. ---

#### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### **Environmental precautions**

Do not allow spills to enter drains or waterways.

#### Methods and material for containment and cleaning up

Contain spilled material if possible. Collect in suitable and properly labeled containers. See Section 13, Disposal Considerations, for additional information.

#### Section 7. Handling and storage

#### Precautions for safe handling



**Revision Date: 07/22/2024** 

Handle containers carefully to prevent damage and spillage. See section 2 for further details. - [Prevention]

#### Conditions for safe storage, including any incompatibilities

Store in original container. Use product promptly after opening. Avoid prolonged exposure to heat and air. Store in the following material(s): Stainless steel.

Polypropylene. Polyethylene-lined container. Teflon. Glass-lined container. Plasite 3066 lined container. Plasite 3070 lined container. 316 stainless steel.

Store in original container. Use product promptly after opening. Avoid prolonged exposure to heat and air. Store in the following material(s): Stainless steel.

Polypropylene. Polyethylene-lined container. Teflon. Glass-lined container. Plasite 3066 lined container. Plasite 3070 lined container. 316 stainless steel.

### Specific end use(s)

No available information

#### Section 8. Exposure controls / personal protection

#### **Control parameters**

#### **Exposure**

CAS No.	Ingredient	Source	Value
25322-68-3	Polyethylene glycol	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m³(50 mppcf\*) TWA, ACGIH 10 mg/m³.

Exposure controls

**Respiratory** If workers are exposed to concentrations above the exposure limit they

must use the appropriate, certified respirators.

**Eyes** Protective safety glasses recommended

**Skin** Avoid skin contact. Protective gloves recommended.

**Engineering** Provide adequate ventilation. Where reasonably practicable this should

Controls be achieved by the use of local exhaust ventilation and good general

extraction. If these are not sufficient to maintain concentrations of



**Revision Date: 07/22/2024** 

particulates and any vapor below occupational exposure limits suitable

respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and

wash thoroughly before reuse.

See section 2 for further details.

#### Section 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical StatePowderColorWhiteOdorMild

Melting point / freezing point
60 - 63 °C ( 140 - 145 °F) Literature
Initial boiling point and boiling range
> 200 °C ( > 392 °F) Calculated.

Decomposes

Flammability (solid, gas) May cause combustible dust

concentrations in air

Upper/lower flammability or explosive

limits

Lower Explosive Limit: No test data

available

**Upper Explosive Limit:** No test data

available

Flash Point Closed cup 229 °C (444 °F) ASTM D 93

Auto-ignition temperatureNo test data availableDecomposition temperatureNo test data available

**pH** 4.5 - 7.5 ASTM E70 (5% aqueous solution) **Viscosity (cSt)** 700 - 900 cSt at 98.9 °C (210.0 °F) ASTM

D 445

Water Solubility 63 % at 20 °C (68 °F) Measured

Partition coefficient n-octanol/water (Log No available information

Kow)

**Vapor pressure (Pa)** < 0.01 mmHg at 20 °C (68 °F) ASTM

E1719

**Relative Density (water = 1)** 1.111 at 65 °C (149 °F) / 65.00 °C

Calculated

Relative Vapor Density (air = 1) >10 Calculated

**Evaporation rate (Ether = 1) VOC Content**Not applicable to solids
0 g/L EPA Method No. 24



Revision Date: 07/22/2024

Oxidising properties Explosive properties Liquid Density Molecular Weight No No

1.0852 g/cm3 at 70 °C (158 °F) Literature

7,000 - 9,000 g/mol Literature

#### Other information

No other relevant information.

#### Section 10. Stability and reactivity

#### Reactivity

Hazardous Polymerization will not occur.

# **Chemical stability**

Thermally stable at typical use temperatures.

#### Possibility of hazardous reactions

Polymerization will not occur

#### **Conditions to avoid**

Product can oxidize at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems. Avoid static discharge

#### Incompatible materials

Avoid contact with: Strong acids. Strong bases. Strong oxidizers.

#### Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon dioxide. Alcohols. Ethers. Aldehydes. Carboxylic acids. Polymer fragments.

#### **Section 11. Toxicological information**

#### **Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).



Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Polyethylene					
glycol - (25322-	> 2,000.00,	> 2,000.00,	No data	No data	No data
68-3)	Rat - Category:	Rat - Category:	available.	available.	available.
	NA	NA			

**Revision Date: 07/22/2024** 

# **Carcinogen Data**

CAS No.	Ingredient	Source	Value
25322-68-	Polyethylene	OSHA	Regulated Carcinogen: No;
3	glycol	NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No;
			Group 3: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

Possible routes of entry:

# Symptoms and effects, both acute and delayed:: No specific symptom data available.

Treat symptomatically.



Revision Date: 07/22/2024

#### **Section 12. Ecological information**

## **Toxicity**

No additional information provided for this product. See Section 3 for chemical specific data.

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Polyethylene glycol - (25322-68-3)	> 100.00, Poecilla	> 100.00, Daphnia	> 100.00, Scenedesmus
	reticulata	magna	subspicatus

#### Persistence and degradability

There is no data available on the preparation itself.

# Bioaccumulative potential

No available information

# Mobility in soil

No available information

# Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### Other adverse effects

No available information

#### Section 13. Disposal considerations

#### Waste treatment methods

Observe all federal, provincial and local regulations when disposing of this substance.

#### **Section 14. Transport information**

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA Transportation) Transportation)

**UN number** Not Regulated Not Regulated Not Regulated



**Revision Date: 07/22/2024** 

**UN proper** Not Regulated Not Regulated Not Regulated

shipping name

Transport DOT Hazard Class:Not hazard class(es) Applicable Sub Class:Not Applicable Air Class:Not Applicable

Sub Class:Not Applicable Applicable Sub Class:Not

Applicable

Packing groupNot ApplicableNot ApplicableNot Applicable

#### **Environmental hazards**

Marine Pollutant: No;

Special precautions for user

No available information

# Section 15. Regulatory information

**Regulatory** The regulatory data in Section 15 is not intended to be all-inclusive,

**Overview** only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

# **Toxic Substance Control Act (TSCA)**

CAS	Ingredient	Toxic Substance Control Act	Comments	Status
Number	_	(TSCA)		
0025322-68-	Polyethylene	Yes	XU	<b>ACTIVE</b>
3	glycol			

#### The following flags are used:

- •Active indicates commercial status designation of active
- •E indicates a substance that is the subject of a Section 5(e) Consent Order under TSCA.
- •F indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- •N indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- •P indicates a commenced Premanufacture Notice (PMN) substance.
- •R indicates a substance that is the subject of a Section 6 risk management rule



er Fern Chemical, Inc. Revision Date: 07/22/2024
Safety Data Sheet

#### under TSCA.

- •S indicates a substance that is identified in a final Significant New Uses Rule.
- •SP indicates a substance that is identified in a proposed Significant New Uses Rule.
- •T indicates a substance that is the subject of a final Section 4 test rule under TSCA.
- •UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials •XU indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
- •Y1 indicates a polymer that has a number-average molecular weight greater than 1,000 and that was exempt under the 1984 polymer exemption rule.
- •Y2 indicates a polymer that is a polyester and that was exempt under the 1984 polymer exemption rule.

#### **Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

#### Mass RTK Substances (>1%):

#### **New Jersey RTK Substances (>1%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



#### Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

**Revision Date: 07/22/2024** 

# OSHA Process Safety Management Standard Highly Hazardous Chemicals, Toxics and Reactives:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# US EPA List of Regulated Substances under the Risk Management Plan (RMP) Program:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

# US EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) under the Minimum Risk Exemption:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **U.S. - DEA List II or Essential Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### U.S. - DEA - Exempt Chemical Mixtures - List 1 and 2:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **US DHS Chemical Facility Anti-Terrorism Standards (CFATS):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Section 16. Other information

**Revision Date** 

07/22/2024

#### DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein



**Revision Date: 07/22/2024** 

are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

The full text of the phrases appearing in section 3 is:

Not Applicable

**End of Document** 

13 / 13 Approved BR 7-24-24