

**Revision Date: 05/30/2025** 

#### Section 1. Identification

Product Identity LPA-170 Solvent

Other means of identification Paraffinic Naphthenic Solvent

Relevant identified uses of the substance or mixture and uses advised against

Industrial & Institutional cleaning, Industrial use, Lubricants, Oilfield Drilling

Details of the supplier of the safety data sheet

Company Name Silver Fern Chemical, Inc.

121 W. De La Guerra Street, Suite B Santa Barbara, CA 93101 USA Customer Service: 1-866-282-3384 /

info@silverfernchemical.com

Website - www.silverfernchemical.com

24 hour Emergency

Telephone No.

Emergency telephone number

Infotrac: 1-800-535-5053

Outside USA & Canada +1-352-323-3500

## Section 2. Hazard(s) identification

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

Flammable Liquid 4;H227 Combustible Liquid.

Aspiration hazard, category 1;H304 May be fatal if swallowed and enters airways.



**Revision Date: 05/30/2025** 

#### Label elements



#### Danger

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

## [Prevention]

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking. P280 Wear protective gloves, eye protection, and face protection.

## [Response]

P301+310 IF SWALLOWED: Immediately call a POISON CENTER, doctor or physician.

P331 Do NOT induce vomiting.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

## [Storage]

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

## [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

## Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per US or Canadian regulations.



Revision Date: 05/30/2025

### Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates (petroleum), hydrotreated light CAS Number: 64742-47-8 Synonyms: Distillates (petroleum), hydrotreated light	100	Aspiration hazard, category 1;H304	No data available

The actual concentration or concentration range is withheld as a trade secret.

### Section 4. First aid measures

## Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or

stopped, give artificial respiration. If unconscious, place in the recovery position

and obtain immediate medical attention. Give nothing by mouth.

Eyes Rinse with plenty of clean water for at least 15 minutes, holding the eyelids

apart and seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or

use a recognized skin cleanser.

Ingestion If accidentally swallowed obtain immediate medical attention. Keep at rest. Do

NOT induce vomiting.

## Most important symptoms and effects, both acute and delayed

**Overview** No chronic toxicity or long term toxicity information available. Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may

<sup>\*</sup>PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.



result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular

Revision Date: 05/30/2025

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. See section 2 for further details.

**Inhalation** May be fatal if swallowed and enters airways.

## Section 5. Fire-fighting measures

weakness, drowsiness and in extreme cases, loss of consciousness.

## Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

## Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

## Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. 128



## Section 6. Accidental release measures

Revision Date: 05/30/2025

## Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8). Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

## **Environmental precautions**

Do not allow spills to enter drains or waterways.

## Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

## Section 7. Handling and storage

## Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

See section 2 for further details. - [Prevention]

## Conditions for safe storage, including any incompatibilities

Store in a cool dry area, away from heat, sparks and open flame.

Keep containers sealed when not in use.

Store out of direct sunlight.

Incompatible materials: Strong oxidizing agents and acids.



Revision Date: 05/30/2025

See section 2 for further details. - [Storage]

## Specific end use(s)

No available information

## Section 8. Exposure controls / personal protection

## **Control parameters**

## **Exposure Limits**

CAS No.	Ingredient	Source	Value
64742-47-8	Distillates (petroleum), hydrotreated light	OSHA	500 ppm, 2000 mg/m <sup>3</sup>
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m<sup>3</sup>OSHA PEL and 5 mg/m³ACGIH.

**Exposure** 

controls

Respiratory If workers are exposed to concentrations above the exposure limit they must

use the appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Avoid skin contact. Protective gloves recommended.

Engineering

Provide adequate ventilation. Where reasonably practicable this should be Controls achieved by the use of local exhaust ventilation and good general extraction.

If these are not sufficient to maintain concentrations of particulates and any

vapor below occupational exposure limits suitable respiratory protection

must be worn.

Other Work Use good personal hygiene practices. Wash hands before eating, drinking,

**Practices** smoking or using toilet. Promptly remove soiled clothing and wash

thoroughly before reuse.

See section 2 for further details.



**Revision Date: 05/30/2025** 

## Section 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical StateLiquidColorClear

**Odor** Hydrocarbon-like

**Melting point / freezing point** < -70 °C, < -94 °F; ASTM D-2386;

Initial boiling point and boiling range 213 - 232 °C, 416 - 449 °F; ASTM D-86;

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: 0.6 %(V)

**Upper Explosive Limit:**7.0 %(V)

No available information

Flash Point Average 79 °C, 174 °F; TAG; Auto-ignition temperature 231 °C, 448 °F; ASTM E 659;

**Decomposition temperature** no data available **pH** no data available

**Viscosity (cSt)** 2.4 cSt @ 20 °C, 68 °F; ASTM D 445;

Solubility in Water Negligible

Partition coefficient n-octanol/water (Log

Kow)

**Vapor pressure (Pa)** 0.05 mm Hg @ 20 °C, 68 °F; ASTM D 2879-

86;

**Relative Density** 0.810 g/cm3 @ 15.5 °C, 60 °F; ASTM D-287;

Vapor Density 5.9

**Evaporation rate (Ether = 1)** no data available

Oxidising propertiesNo available informationExplosive propertiesNo available information

Other information

No other relevant information.



**Revision Date: 05/30/2025** 

### Section 10. Stability and reactivity

## Reactivity

Hazardous Polymerization will not occur.

## **Chemical stability**

Stable under normal circumstances.

## Possibility of hazardous reactions

No available information

#### Conditions to avoid

Excessive heat and open flame.

#### Incompatible materials

Strong oxidizing agents and acids.

## Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

## Section 11. Toxicological information

## **Acute toxicity**

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).



Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates (petroleum), hydrotreated	> 5,000.00, Rat -	>2,000.00, Rabbit -	No data	No data	No data
light - (64742-47-8)	Category: NA	Category: 5	available.	available.	available.

**Revision Date: 05/30/2025** 

## **Carcinogen Data**

CAS No.	Ingredient	Source	Value
64742-47-8	Distillates (petroleum), hydrotreated light	ot OSHA Regulated Carcinogen: No;	
		NTP	Known: No; Suspected: No;
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;
		ACGIH	No Established Limit

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard	1	May be fatal if swallowed and enters airways.

Possible routes of entry: No available information

## Symptoms and effects, both acute and delayed:

No chronic toxicity or long term toxicity information available. Treat symptomatically.



**Revision Date: 05/30/2025** 

## Section 12. Ecological information

## **Toxicity**

No additional information provided for this product. See Section 3 for chemical specific data.

## **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Distillates (petroleum), hydrotreated light - (64742-47-8)	20.00, Oncorhynchus mykiss	1.40, Daphnia magna	8.30, Pseudokirchneriella subcapitata

## Persistence and degradability

There is no data available on the preparation itself.

## **Bioaccumulative potential**

No available information

## Mobility in soil

No available information

## Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

## Other adverse effects

No available information

## Section 13. Disposal considerations

#### **Waste treatment methods**

Observe all federal, provincial and local regulations when disposing of this substance.



**Revision Date: 05/30/2025** 

## **Section 14. Transport information**

DOT (Domestic Surface

Transportation)

UN number UN proper Not Regulated Not Regulated

shipping name

Class:Not Applicable
Sub Class:Not Applicable

hazard class(es)

**Transport** 

IMO / IMDG (Ocean Transportation)

Not Regulated Not Regulated

Class:Not Applicable

Sub Class: Not Applicable

ICAO/IATA

Not Regulated Not Regulated

**Class:**Not Applicable

Sub Class:Not

Applicable

Packing group Not Applicable

**Environmental hazards** 

IMDG Marine Pollutant: No; Special

precautions for user

No available information

## **Section 15. Regulatory information**

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only

selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7)

## **Toxic Substance Control Act (TSCA)**

CAS Number Ingredient		Toxic Substance Control Act (TSCA)	Comments	Status
0064742-47-8	Distillates (petroleum), hydrotreated light	Yes	UVCB	ACTIVE



The following flags are used:

- •Active indicates commercial status designation of active
- •E indicates a substance that is the subject of a Section 5(e) Consent Order under TSCA.

Revision Date: 05/30/2025

- •F indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- •N indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- •P indicates a commenced Premanufacture Notice (PMN) substance.
- •R indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- •S indicates a substance that is identified in a final Significant New Uses Rule.
- •SP indicates a substance that is identified in a proposed Significant New Uses Rule.
- •T indicates a substance that is the subject of a final Section 4 test rule under TSCA.
- •UVCB Chemical Substances of Unknown or Variable Composition, Complex Reaction Products and Biological Materials •XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
- •Y1 indicates a polymer that has a number-average molecular weight greater than 1,000 and that was exempt under the 1984 polymer exemption rule.
- •Y2 indicates a polymer that is a polyester and that was exempt under the 1984 polymer exemption rule.

## **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



## Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Revision Date: 05/30/2025

### **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

## Mass RTK Substances (>1%):

(No Product Ingredients Listed)

## **New Jersey RTK Substances (>1%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## OSHA Process Safety Management Standard Highly Hazardous Chemicals, Toxics and Reactives:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **US EPA List of Regulated Substances under the Risk Management Plan (RMP) Program:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## US EPA Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) under the Minimum Risk Exemption:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



### U.S. - DEA List II or Essential Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### U.S. - DEA - Exempt Chemical Mixtures - List 1 and 2:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **US DHS Chemical Facility Anti-Terrorism Standards (CFATS):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Section 16. Other information

**Revision Date** 

05/30/2025

Revision Date: 05/30/2025

#### DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

The full text of the phrases appearing in section 3 is: H304 May be fatal if swallowed and enters airways.

**End of Document**