

SAFETY DATA SHEET

Revision Date 11/1/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Maleic anhydride

CAS-No. : 108-31-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Silver Fern Chemical, Inc.

2226 Queen Anne Avenue North, Suite B

Seattle, WA 98109, USA

Email: info@silverfernchemical.com, Website: www.silverfernchemical.com

Telephone : +1 866-282-3384 Fax : +1 206-282-0105

1.4 Emergency telephone number

24 Hour Emergency Contact: Infotrac 1-800-535-5053 (USA & Canada) 1-352-323-3500 Outside USA & Canada

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Respiratory sensitisation (Category 1), H334

Skin sensitisation (Category 1), H317

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Respiratory system, H372

Specific target organ toxicity - repeated exposure, Oral (Category 2), Kidney, H373

Acute aquatic toxicity (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H372 Causes damage to organs (Respiratory system) through prolonged or

Silver Fern Chemical, Inc. Page 1 of 9

repeated exposure if inhaled.

H373 May cause damage to organs (Kidney) through prolonged or repeated

exposure if swallowed.

H402 Harmful to aquatic life.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P285 In case of inadequate ventilation wear respiratory protection.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Corrosive to the respiratory tract.

Sternutator.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : 2,5-Furandione

Formula : C₄H₂O₃

Molecular weight : 98.06 g/mol
CAS-No. : 108-31-6
EC-No. : 203-571-6
Index-No. : 607-096-00-9

Hazardous components

Component	Classification	Concentration				
Maleic anhydride						
	Acute Tox. 4; Skin Corr. 1B;	<= 100 %				
	Eye Dam. 1; Resp. Sens. 1;					
	Skin Sens. 1; STOT RE 1;					
	STOT RE 2; Aquatic Acute 3;					
	H302, H314, H317, H318,					
	H334, H372, H373, H402					

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Silver Fern Chemical, Inc. Page 2 of 9

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive.

Silver Fern Chemical, Inc. Page 3 of 9

Storage class (TRGS 510): Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis		
Maleic anhydride	108-31-6	TWA	0.100000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Eye, skin, &	Upper Respiratory	/ Tract irritation		
		Adopted value	Adopted values or notations enclosed are those for which changes			
			are proposed in the NIC			
		See Notice of Intended Changes (NIC)				
			Not classifiable as a human carcinogen			
			Sensitizer			
		TWA	0.250000 ppm	USA. Occupational Exposure Limits		
			1.000000	(OSHA) - Table Z-1 Limits for Air		
			mg/m3	Contaminants		
		The value in mg/m3 is approximate.				
		TWA	0.250000 ppm	USA. NIOSH Recommended		
			1.000000	Exposure Limits		
			mg/m3			
		TWA	0.010000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Respiratory sensitization Adopted values or notations enclosed are those for which changes				
		are proposed in the NIC See Notice of Intended Changes (NIC)				
		Not classifiable as a human carcinogen				
			Sensitizer			
		TWA	0.01 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Dermal Sensitization				
		Respiratory sensitization Respiratory sensitization				
2015 Adoption						
		Not classifiable as a human carcinogen				
		PEL	0.1 ppm	California permissible exposure		
			0.4 mg/m3	limits for chemical contaminants		
				(Title 8, Article 107)		

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Silver Fern Chemical, Inc. Page 4 of 9

Full contact

Material: Nitrile rubber

Minimum laver thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Colour: white

Odour No data available Odour Threshold No data available c) d) рΗ No data available

e) Melting point/freezing

Melting point/range: 52 - 54 °C (126 - 129 °F) Melting point/range: 51 - 56 °C (124 - 133 °F) - lit. point

Initial boiling point and

boiling range

200 °C (392 °F) - lit.

No data available

g) Flash point No data available h) Evaporation rate No data available No data available Flammability (solid, gas)

Upper/lower flammability or explosive limits

k) Vapour pressure

0.2 hPa (0.2 mmHg) at 22 °C (72 °F) - OECD Test Guideline 104

Vapour density No data available

m) Relative density 1.48 g/cm3 at 20 °C (68 °F) -

n) Water solubility No data available

Partition coefficient: nlog Pow: -2.609 at 20 °C (68 °F) - OECD Test Guideline 107

octanol/water

Silver Fern Chemical, Inc. Page 5 of 9 p) Auto-ignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong oxidizing agents, Strong acids, Strong bases, Strong reducing agents, Alkali metals, Amines

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1,090 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - 1 h - > 4.35 mg/l

LD50 Dermal - Rabbit - female - 2,620 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

Respiratory or skin sensitisation

- Rat

Result: May cause sensitisation by inhalation.

Buehler Test - Guinea pig

Result: May cause sensitisation by skin contact.

(OECD Test Guideline 406)

Silver Fern Chemical, Inc.

Page 6 of 9

Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: negative

OECD Test Guideline 475 Rat - male and female Result: negative

Carcinogenicity

Carcinogenicity - Rat - Subcutaneous

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Tumorigenic:Tumors at site or application.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Reproductive toxicity - Rat - Oral

Effects on Fertility: Female fertility index (e.g., # females pregnant per # sperm positive females; # females pregnant per # females mated). Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females).

Reproductive toxicity - Rat - Oral

Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Developmental Toxicity - Rat - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Respiratory system Oral - May cause damage to organs through prolonged or repeated exposure. - Kidney

Aspiration hazard

No data available

Additional Information

Repeated dose Rat - male - LOAEL : 250 mg/kg - OECD Test Guideline 408

toxicity

RTECS: ON3675000

Cough, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

................

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 75 mg/l - 96 h

Toxicity to daphnia and

static test EC50 - Daphnia magna (Water flea) - 330 mg/l - 48 h

other aquatic invertebrates

Toxicity to algae Growth inhibition EC50 - Selenastrum capricornutum (green algae) - > 150 mg/l

- 72 h

(OECD Test Guideline 201)

Silver Fern Chemical, Inc. Page 7 of 9

Toxicity to bacteria EC10 - Pseudomonas putida - 44.6 mg/l - 18 h

(DIN 38 412 Part 8)

12.2 Persistence and degradability

Biodegradability Biotic/Aerobic - Exposure time 28 d

Result: 73 - 81 % - Readily biodegradable

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Harmful to aquatic life.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Packing group: III

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2215 Class: 8

Proper shipping name: Maleic anhydride

Reportable Quantity (RQ): 5000 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 2215 Class: 8

Packing group: III

EMS-No: F-A, S-B

Proper shipping name: MALEIC ANHYDRIDE

IATA

UN number: 2215 C

Class: 8

Packing group: III

Proper shipping name: Maleic anhydride

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Maleic anhydride CAS-No. Revision Date 108-31-6 1993-04-24

Massachusetts Right To Know Components

CAS-No. Revision Date Maleic anhydride 108-31-6 1993-04-24

Pennsylvania Right To Know Components

CAS-No. Revision Date Maleic anhydride 108-31-6 1993-04-24

Silver Fern Chemical, Inc. Page 8 of 9

New Jersey Right To Know Components

CAS-No. Revision Date Maleic anhydride 108-31-6 1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Eye Dam. Serious eye damage
H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H372 Causes damage to organs (/\$/* ORG REP INHA/\$/) through prolonged or repeated

exposure if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure if swallowed.

H402 Harmful to aquatic life.
Resp. Sens. Respiratory sensitisation

Skin Corr. Skin corrosion

HMIS Rating

Health hazard: 3
Chronic Health Hazard: Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 0

DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

Revision Date: 11/1/2017