

## SILVER FERN CHEMICAL, INC.

# Safety Data Sheet Potassium Carbonate, Anhydrous

#### **SECTION 1**

## PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Potassium Carbonate Anhydrous, APC

**Identified Uses:** Manufacturing

Details of the supplier of the safety data sheet

Distributor Silver Fern Chemical, Inc.

121 W. De LA Guerra Street, Suite B Santa Barbara, CA 93101 USA

**Customer Service:** 1-866-282-3384

info@silverfernchemical.com

**24 Hour Emergency Contact** 

Infotrac 1-800-535-5053 (USA & Canada) Outside USA & Canada 1-352-323-3500

## **SECTION 2**

#### **HAZARDS IDENTIFICATION**

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Signal Word: Warning

Pictogram(s):



Hazard Statements				
H302	Harmful if swallowed.			
H319	Causes serious eye irritation.			
Precautionary Statements				
P264	Wash skin thoroughly after handling.			
P270	Do not eat, drink, or smoke when using this product.			
P280	Wear protective gloves/eye protection/face protection.			
P301 + P312	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician			
	if you feel unwell.			
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
P330	Rinse mouth.			
P337 + P313	If eye irritation persists: Get medical advice/attention.			
P501	Dispose of contents/container to an approved waste disposal plant.			

Page 1 of 7

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

**Synonyms:** 

CHEMICAL NAME: Potassium Carbonate
TRADE NAME: APC, Carbonate of Potash

SYNONYMS: Pot Carb, Pearl Ash, Anhydrous Potassium Carbonate, APC

C.A.S: 584-08-7

WHMIS:

CHEMICAL FORMULA: K<sub>2</sub>CO<sub>3</sub> CHEMICAL FAMILY: Alkali

#### SECTION4 FIRST AIDMEASURES

## Description of first aid measures:

It is a severe irritant of the eyes, skin, nose, and throat. Ingestion of large amounts is corrosive and may result in circulatory collapse and death. Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled:

Irritating to nose, throat, and respiratory tract. May cause coughing, sneezing and difficulty breathing. If breathed in, move person into fresh air. If not breathing, give humidified air. Consult a physician.

#### In case of skin contact:

Brush off any loose material. Wash off with soap and plenty of water for at least 15 minutes. Consult a physician.

## In case of eye contact:

Rinse thoroughly with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do. Consult a physician.

#### If swallowed:

Do NOT induce vomiting. Give water as tolerated. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION5	FIRE FIGHTINGMEASURES
Flash Point:	Non-combustible.
Extinguishing Media:	Suitable for surrounding fire.
Auto-Ignition Temp:	Non-combustible.
Special Fire Fighting Procedures:	If carbon dioxide is released, use an approved self-contained breathing apparatus.
Unusual Fire/Explosion Hazards:	High temperatures due to fire or mixing with acids can cause this material to decompose releasing carbon dioxide gas.
Additional Information:	If there is evidence that product decomposition hasoccurred, atmospheric tests should be run for carbon dioxide and oxygen content. Excessive quantities of carbon dioxide can cause suffocation of personnel in the immediate area.



#### **SECTION 6**

#### ACCIDENTAL RELEASE MEASURES

#### **Environmental Precautions:**

Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.

#### **Containment and Cleaning:**

Reclaim and reuse as much as possible. Shovel up dry spills and place in sealable containers for recovery or disposal. Remainder of spill may normally be washed to the sewer providing environmental control limits are not affected. Avoid skin contact with wetted material.

#### **SECTION 7**

#### HANDLING ANDSTORAGE

#### Precautions to be taken for handling and storage:

Wear appropriate protective equipment to prevent contact with skin and eyes. Control dust and mist generation. When diluting or preparing a solution, add to water in small amounts to avoid boiling and splattering. Label and close containers when not in use.

#### **Storage Procedures:**

Store in a cool, dry, well-ventilated area in airtight containers. Material is hygroscopic and will absorb moisture and carbon dioxide from atmosphere. Area should have a caustic-resistant floor and approved drainage system. Store away from incompatible materials (potassium cyanate, boric acid). Reaction with acids may generate heat and carbon dioxide.

#### **SECTION 8**

#### EXPOSURE CONTROL/PERSONAL PROTECTION

**Principal Component:** Potassium Carbonate

## **Occupational Exposure Limits:**

## **Regulatory Limits:**

Component	OSHA Final PEL TWA	OSHA Final PEL STEL	REL 8hr TWA
Inhalable Particulate			2 mg/m

## **Exposure Controls:**

Eye Protection: Goggles where dust contact may be encountered.

Respiratory Protection: A NIOSH-approved particulate respirator or dust filtermask

should be worn if dust is present.

Other Protection: Usually not required.

Ventilation Recommended: Provide local exhaust ventilation where dust or mist maybe

generated.

Skin and Body Protection: Wear protective clothing to minimize skin contact. When potential for contact with dry material exists, wear disposable coveralls suitable for dust exposure, such as Tyvek. Contaminated clothing should be removed and laundered beforereuse.



Information on basic physical and chemical properties:

Appearance	White powder	
Odor	No data available	
Odor threshold	No data available	
pH	11-13 at 138 g/l at 25 °C (77 °F)	
Melting point	899°C (1,650°F)	
Initial boiling point	Non-combustible	
Flash point	Non-combustible	
Auto-ignition temp	Non-combustible	
Evaporation rate	No data available	
Flammability (solid, gas)	Non-combustible	
Upper/lower flammability or explosive limits	Non-combustible	
Relative density (water = 1)	2.428 at 19°C	
Molecular weight	138.2	
Bulk density	75-83 lbs/ft	
Vapor density	No data available	
Vapor pressure	No data available	
Solubility in water	112g (in 100ml water @ 20°C)	
Viscosity	No data available	
Decomposition temperature	No data available	
Partition coefficient: n-octanol/water	No data available	

### SECTION 10 STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Cross contamination with other chemicals. Do not allowdust

to blow freely into the environment. Material exposed to conditions of high moisture, or water, will form high pH

sludges or liquids.

Incompatibility: Magnesium, acids, and excessive heat. Large quantities of

CO<sub>2</sub> generated in an enclosed area will result in displacement

of oxygen and may cause suffocation of personnel.

Hazardous decomposition products: Carbon dioxide is generated when reacted with acids or

exposed to high temperatures. When heated to decomposition,

may emit toxic K<sub>2</sub>O fumes.

Polymerization: Hazardous polymerization WILL NOT occur.

## SECTION 11 TOXICOGICAL INFORMATION

## Information on likely routes of exposure:

Ingestion: Ingestion of this material may cause oral, esophageal, glottis

redness, irritation, ulceration, edema and stomach and intestinal irritation and burns. Ingesting large quantitiesmay

cause ulceration, vomiting, shock and death.



Inhalation: Inhalation of this material may cause upper airway irritation,

cough, redness of mouth and upper airways.

Skin contact: Causes skin redness/irritation.

Eye contact: Eye exposure may cause severe irritation and redness to the

eyelids, conjunctiva. Untreated, prolonged eye contact can

cause permanent and severe eyedamage.

**Information on toxicological effects:** 

Acute toxicity: This material when applied to the skin of guinea pigs did

not elicit any dermal sensitization reaction.

IDLH: None.

Germ cell mutagenicity: No data available to indicate product or any components.

present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity: This product is not considered to be a carcinogen by

IARC, ACGIH, NTP or OSHA.

Chronic effects: No data available.

**Product species test results:** 

Rat - Oral  $\overline{LD}_{50}$ : 1,870 mg/kg Rabbit - Dermal  $\overline{LD}_{50}$ : >2,000 mg/kg

#### SECTION 12 ECOLOGICAL INFORMATION

Aquatic toxicity: May increase pH of waterways and adversely affect aquatic

life.

Fish toxicity: LC<sub>50</sub> Bluegill sunfish: 230 mg/l, 96 hr

 $LC_{50}$  Rainbow trout: 68 mg/l, 96 hr  $LC_{50}$  Fathead minnow: 940 mg/l,246hr

LC<sub>50</sub> Ceriodaphnia dubla (water flea): 630 mg/l, 24 hr LC<sub>50</sub> Ceriodaphnia dubla (water flea): 630 mg/l, 48 hr This material is inorganic and not subject to biodegradation.

Persistence and degradability: This material is inorganic and not subject to biodegradation.

Bioaccumulative potential: This material is believed not to bioaccumulate Potassium.

carbonate is very soluble in water. Therefore, the substance does not accumulate in lipophilic tissues of

living organisms.

Mobility in soil: No data available.

#### SECTION 13 DISPOSAL CONSIDERATIONS

Reclaim and reuse as much as possible. Shovel up dry spills and place in sealable containers for recovery or disposal. Remainder of spill may normally be washed to the sewer providing environmental control limits are not affected. Avoid skin contact with wetted material. Dispose in accordance with all applicable regulations.



## SECTION 14 TRANSPORT INFORMATION

**Shipping:** 

Usual Shipping Containers: Pneumatic trucks or rail cars, drums, bags, supersacks.

Usual Shelf Life: Indefinite if kept dry (life of containers).

Storage/Transport Temperatures: Ambient.

**Suitable Storage:** 

Materials/Coatings: Moisture-proof containers - plastics, metal, cloth, paper.

Unsuitable: Porous containers.

**D.O.T. Information:** 

Not regulated

**Canadian Transportation of Dangerous Goods:** 

Not regulated

### SECTION 15 REGULATORY INFORMATION

#### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III. Section 302.

## **SARA 313 Components**

Not regulated.

## SARA 311/312 Hazards

EPCRA reporting quantities: TQ: 10,000 pounds (100% K<sub>2</sub>CO<sub>3</sub> basis).

#### **Massachusetts Right to Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right to Know Components

Potassium Carbonate CAS#: 584-08-7

#### **New Jersey Right to Know Components**

Potassium Carbonate CAS#: 584-08-7

### California Prop. 65 Components

WARNING: As the result of the raw materials used in the manufacturing process, this product may contain chemicals at trace levels, including lead, arsenic and nickel, known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to <a href="https://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

**OSHA PSM TPQ:** Not listed.

#### **Toxic Substances Control Act (TSCA):**

CAS# 584-08-7 is listed on the TSCA inventory.

#### Comprehensive Environmental Response Compensation Liability Act: (CERCLA)

Not regulated.



## **SECTION 16**

#### **OTHER INFORMATION**

## **HMIS Rating:**

Health hazard: 2

Chronic Health Hazard:

Flammability: 0 Physical Hazard: 0

## **NFPA Rating:**

Health hazard: 2 Fire Hazard: 0 Reactivity Hazard: 0

#### DISCLAIMER OF RESPONSIBILITY

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed, or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

<end of document>

